

Revision Date: 11.02.2025 Date of last issue: 22.03.2024 Version 4.0

Print Date 14.02.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sika[®] ViscoCrete[®]-1050 con. 30% SPL-BT UFI:

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Concrete admixtures

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Nederland B.V.
		Zonnebaan 56
		3542 EG Utrecht
		Nederland
Telephone	:	+31-30-2410120
Telefax	:	+31-30-2414482
E-mail address of person	:	EHS@nl.sika.com
responsible for the SDS		

1.4 Emergency telephone number

+31-57-0854201

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

Additional Labelling

EUH210 Safety data sheet available on request.

EUH208 Contains 1,2-benzisothiazol-3(2H)-one (BIT), reaction mass of 5-chloro-2methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1), 2-octyl-2Hisothiazole-3-one (OIT). May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Sika[®] ViscoCrete[®]-1050 con. 30% SPL-BT



Revision Date: 11.02.2025 Date of last issue: 22.03.2024 Version 4.0

Print Date 14.02.2025

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Contains a biocide in order to protect the product. Active ingredient: 1,2-benzisothiazol-3(2H)-one (BIT), 2634-33-5, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1), 55965-84-9, 2-octyl-2H-isothiazole-3-one (OIT), 26530-20-1. Please use treated articles responsibly.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Components			•
Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
1,2-benzisothiazol-3(2H)-one	2634-33-5	Acute Tox. 4; H302	>= 0,025 - <
(BIT)	220-120-9	Acute Tox. 2; H330	0,036
	01-2120761540-60-	Skin Irrit. 2; H315	
	XXXX	Eye Dam. 1; H318	
		Skin Sens. 1A; H317	
		Aquatic Acute 1;	
		H400	
		Aquatic Chronic 1;	
		H410	
		M-Factor (Acute	
		aquatic toxicity): 1	
		M-Factor (Chronic	
		aquatic toxicity): 1	
		specific concentration	
		limit	
		Skin Sens. 1A; H317	
		>= 0,036 %	
		Acute toxicity esti-	
		mate	
		Acute oral toxicity:	
		450 mg/kg	
		Acute inhalation tox-	
		icity (dust/mist): 0,21	
		mg/l	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika® ViscoCrete®-1050 con. 30% SPL-BT



Revision Date: 11.02.2025 Date of last issue: 22.03.2024 Version 4.0

e of last issue: 22.03.2024			
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2- methyl-2H-isothiazol-3-one (3:1)	55965-84-9 911-418-6 01-2120764691-48- XXXX	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 2; H310 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100 Specific concentration limit Skin Corr. 1C; H314 >= 0,6 % Specific concentration limit Skin Irrit. 2; H315 0,06 - < 0,6 % Specific concentration limit Eye Irrit. 2; H319 0,06 - < 0,6 % Specific concentration limit Skin Sens. 1A; H317 >= 0,0015 %	>= 0,0002 - < 0,0015
		specific concentration limit Eye Dam. 1; H318 >= 0,6 %	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika® ViscoCrete®-1050 con. 30% SPL-BT



Revision Date: 11.02.2025 Date of last issue: 22.03.2024 Version 4.0

2-octyl-2H-isothiazole-3-one (OIT)	26530-20-1	Acute Tox. 3; H301	>= 0,0002 - <
	247-761-7	Acute Tox. 2; H330	0,0015
	01-2120768921-45-	Acute Tox. 3; H311	
	XXXX	Skin Corr. 1; H314	
		Eye Dam. 1; H318	
		Skin Sens. 1A; H317	
		Aquatic Acute 1;	
		H400	
		Aquatic Chronic 1;	
		H410	
		EUH071	
		M-Factor (Acute	
		aquatic toxicity): 100	
		M-Factor (Chronic	
		aquatic toxicity): 100	
		specific concentration	
		limit	
		Skin Sens. 1A; H317	
		>= 0,0015 %	
		Acute toxicity esti-	
		mate	
		Acute oral toxicity:	
		125 mg/kg	
		Acute inhalation tox-	
		icity (dust/mist): 0,27	
		mg/l	
		Acute dermal toxicity:	
		311 mg/kg	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	: No hazards which require special first aid measures.	
If inhaled	: Move to fresh air.	
In case of skin contact	: Take off contaminated clothing and shoes immediately Wash off with soap and plenty of water.	у.
In case of eye contact	: Remove contact lenses. Keep eye wide open while rinsing.	



evision Date: 11.02.2025 Pate of last issue: 22.03.2024		Version 4.0	Print Date 14.02.202
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconsciou	s person.
4.2 Most important symptoms an	nd e	effects, both acute and delayed	
Symptoms	:	See Section 11 for more detailed information on and symptoms.	health effects
Risks	:	No known significant effects or hazards.	
4.3 Indication of any immediate n	nec	dical attention and special treatment needed	
Treatment	:	Treat symptomatically.	
SECTION 5: Firefighting meas	sur	es	
ggggg			
5.1 Extinguishing media			
5.1 Extinguishing media Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/c ide/sand/foam/alcohol resistant foam/chemical p extinction.	
		ide/sand/foam/alcohol resistant foam/chemical period	
Suitable extinguishing media	the	ide/sand/foam/alcohol resistant foam/chemical period	
Suitable extinguishing media 5.2 Special hazards arising from Hazardous combustion prod-	the	ide/sand/foam/alcohol resistant foam/chemical p extinction.	
Suitable extinguishing media 5.2 Special hazards arising from Hazardous combustion prod- ucts 5.3 Advice for firefighters	the :	ide/sand/foam/alcohol resistant foam/chemical p extinction.	bowder for
 Suitable extinguishing media 5.2 Special hazards arising from Hazardous combustion prod- ucts 5.3 Advice for firefighters Special protective equipment 	the :	ide/sand/foam/alcohol resistant foam/chemical p extinction. e substance or mixture No hazardous combustion products are known	bowder for
 Suitable extinguishing media 5.2 Special hazards arising from Hazardous combustion prod- ucts 5.3 Advice for firefighters Special protective equipment for firefighters 	the : :	ide/sand/foam/alcohol resistant foam/chemical p extinction. e substance or mixture No hazardous combustion products are known In the event of fire, wear self-contained breathin Standard procedure for chemical fires.	bowder for
Suitable extinguishing media 5.2 Special hazards arising from Hazardous combustion prod- ucts 5.3 Advice for firefighters Special protective equipment for firefighters Further information SECTION 6: Accidental releas	the : : se r	ide/sand/foam/alcohol resistant foam/chemical p extinction. e substance or mixture No hazardous combustion products are known In the event of fire, wear self-contained breathin Standard procedure for chemical fires.	bowder for
Suitable extinguishing media 5.2 Special hazards arising from Hazardous combustion prod- ucts 5.3 Advice for firefighters Special protective equipment for firefighters Further information SECTION 6: Accidental releas	the : : se r	ide/sand/foam/alcohol resistant foam/chemical p extinction. e substance or mixture No hazardous combustion products are known In the event of fire, wear self-contained breathin Standard procedure for chemical fires.	bowder for
Suitable extinguishing media 5.2 Special hazards arising from Hazardous combustion prod- ucts 5.3 Advice for firefighters Special protective equipment for firefighters Further information 5ECTION 6: Accidental releas 5.1 Personal precautions, protec	the : : se r	ide/sand/foam/alcohol resistant foam/chemical p extinction. e substance or mixture No hazardous combustion products are known In the event of fire, wear self-contained breathin Standard procedure for chemical fires. measures e equipment and emergency procedures	bowder for

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Wipe up with absorbent material (e.g. cloth, fleece).
		Keep in suitable, closed containers for disposal.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika® ViscoCrete®-1050 con. 30% SPL-BT



Revision Date: 11.02.2025 Date of last issue: 22.03.2024 Version 4.0

Print Date 14.02.2025

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1	Precautions for safe handling		
	Advice on safe handling	:	For personal protection see section 8. No special handling advice required. Follow standard hygiene measures when handling chemical products
	Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
	Hygiene measures	:	When using do not eat or drink. When using do not smoke.
7.2	Conditions for safe storage, ir	ncl	uding any incompatibilities
	Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
	Advice on common storage	:	No special restrictions on storage with other products.
	Further information on stor- age stability	:	No decomposition if stored and applied as directed.
7.3	Specific end use(s)		
	Specific use(s)	:	Consult most current local Product Data Sheet prior to any use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
--------------------	----------------------------------	---------------------------	---------

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection : Safety glasses

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika® ViscoCrete®-1050 con. 30% SPL-BT



Revision Date: 11.02.2025 Date of last issue: 22.03.2024	Version 4.0	Print Date 14.02.2025
Hand protection	 Chemical-resistant, impervious gloves c proved standard must be worn at all time chemical products. Reference number E facturer specifications. Butyl rubber/nitrile rubber gloves (> 0,1 r Recommended: Butyl rubber/nitrile rubb 	es when handling EN 374. Follow manu- mm)
Skin and body protection	: Protective clothing (e.g. Safety shoes ac long-sleeved working clothing, long trou- and protective boots are additionaly rece and stirring work.	sers). Rubber aprons
Respiratory protection	: No special measures required.	
Environmental exposure cor	ntrols	
General advice	: No special environmental precautions re	equired.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Colour	:	liquid yellow
Odour	:	characteristic
Melting point/ range / Freez- ing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or o	exp	losive limits
Upper explosion limit / Up- per flammability limit	•	
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika® ViscoCrete®-1050 con. 30% SPL-BT



Revision Date: 11.02.2025 Date of last issue: 22.03.2024		Version 4.0	Print Date 14.02.2025
Decomposition temperature	:	No data available	
рН	:	ca. 6	
Viscosity Viscosity, kinematic	:	> 7 mm2/s (40 °C)	
Solubility(ies) Water solubility	:	No data available	
Partition coefficient: n- octanol/water	:	No data available	
Vapour pressure	:	23 hPa	
Density	:	ca. 1,06 g/cm3 (20 °C)	
Relative vapour density	:	No data available	
Particle characteristics	:	No data available	
9.2 Other information			

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid	: No data a	vailable
--------------------	-------------	----------



Revision Date: 11.02.2025 Date of last issue: 22.03.2024 Version 4.0

Print Date 14.02.2025

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Components:

1,2-benzisothiazol-3(2H)-one (BIT):

1,2-benzisotniazoi-3(2H)-on					
Acute oral toxicity	: Acute toxicity estimate: 450 mg/kg Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008				
	LD50 Oral (Rat): 450 mg/kg				
Acute inhalation toxicity	: Acute toxicity estimate: 0,21 mg/l Test atmosphere: dust/mist Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008				
	LC50: 0,21 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403				
Acute dermal toxicity	: LD50 Dermal (Rabbit): > 2.000 mg/kg				
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):					
Acute inhalation toxicity	: Assessment: Corrosive to the respiratory tract.				
2-octyl-2H-isothiazole-3-one (OIT):					
Acute oral toxicity	: Acute toxicity estimate: 125 mg/kg Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008				
Acute inhalation toxicity	: Acute toxicity estimate: 0,27 mg/l Test atmosphere: dust/mist Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008				
Acute dermal toxicity	: Acute toxicity estimate: 311 mg/kg Method: Acute toxicity estimate according to Regulation (EC)				
ountry NL 000000118252	9 / 15				



Revision Date: 11.02.2025 Date of last issue: 22.03.2024 Version 4.0

Print Date 14.02.2025

No. 1272/2008

Skin corrosion/irritation

Not classified due to lack of data.

Serious eye damage/eye irritation

Not classified due to lack of data.

Respiratory or skin sensitisation

Skin sensitisation

Not classified due to lack of data.

Respiratory sensitisation

Not classified due to lack of data.

Components:

1,2-benzisothiazol-3(2H)-one (BIT):

Assessment : May cause sensitisation by skin contact.

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Not classified due to lack of data.

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

Not classified due to lack of data.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Not classified due to lack of data.

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Sika[®] ViscoCrete[®]-1050 con. 30% SPL-BT



Revision Date: 11.02.2025 Date of last issue: 22.03.2024 Version 4.0

Print Date 14.02.2025

SECTION 12: Ecological information

12.1 Toxicity

Components:

1,2-benzisothiazol-3(2H)-one (BIT):

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia (water flea)): 3 mg/l Exposure time: 48 h
M-Factor (Acute aquatic tox- icity)	:	1
M-Factor (Chronic aquatic toxicity)	:	1

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

M-Factor (Acute aquatic tox-	:	100
icity)		

M-Factor (Chronic aquatic : 100 toxicity)

2-octyl-2H-isothiazole-3-one (OIT):

M-Factor (Acute aquatic tox- : 100 icity)

M-Factor (Chronic aquatic : 100 toxicity)

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Sika[®] ViscoCrete[®]-1050 con. 30% SPL-BT



Revision Date: 11.02.2025 Date of last issue: 22.03.2024		Version 4.0	Print Date 14.02.2025
Assessment	:	The substance/mixture does not contain compo ered to have endocrine disrupting properties ac REACH Article 57(f) or Commission Delegated (EU) 2017/2100 or Commission Regulation (EU levels of 0.1% or higher.	cording to regulation
12.7 Other adverse effects			
Product:			
Additional ecological infor- mation	:	There is no data available for this product.	
13.1 Waste treatment methods			
Product	:	The generation of waste should be avoided or r	ninimized
		wherever possible.	1
		Empty containers or liners may retain some pro This material and its container must be dispose way.	
		Dispose of surplus and non-recyclable products waste disposal contractor.	via a licensed
		Disposal of this product, solutions and any by-p at all times comply with the requirements of env protection and waste disposal legislation and ar local authority requirements.	vironmental ny regional
		Avoid dispersal of spilled material and runoff an soil, waterways, drains and sewers.	d contact with

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika[®] ViscoCrete[®]-1050 con. 30% SPL-BT



Revision Date: 11.02.2025 Date of last issue: 22.03.2024

Version 4.0

Print Date 14.02.2025

IMDG IATA	Not regulated as a dangerous goodNot regulated as a dangerous good
14.4 Packing group	
ADR	: Not regulated as a dangerous good
IMDG	: Not regulated as a dangerous good
IATA (Cargo)	: Not regulated as a dangerous good
IATA (Passenger)	: Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors

REACH Information:

- registered by our upstream suppliers, and/or

All substances contained in our Products are

- registered by us, and/or
 - excluded from the regulation, and/or
- exempted from the registration.

REACH - Restrictions on the manufacture, placing on Conditions of restriction for the fol-: the market and use of certain dangerous substances, lowing entries should be considered: mixtures and articles (Annex XVII) Number on list 75 REACH - Candidate List of Substances of Very High : None of the components are listed Concern for Authorisation (Article 59). (=> 0.1 %). REACH - List of substances subject to authorisation 2 Not applicable (Annex XIV) Regulation (EU) No 2024/590 on substances that de-: Not applicable plete the ozone layer

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika® ViscoCrete®-1050 con. 30% SPL-BT



Revision Date: 11.02.2025 Date of last issue: 22.03.2024	Version 4.0	Print Date 14.02.2025		
Regulation (EU) 2019/1021 on pe tants (recast)	ersistent organic pollu- : N	Not applicable		
Regulation (EU) No 649/2012 of the European Parlia- : Not applicable ment and the Council concerning the export and import of dangerous chemicals				
Seveso III: Directive 2012/18/EU jor-accident hazards involving da	•	nd of the Council on the control of ma-		
Volatile organic compounds :	Law on the incentive tax for (VOCV) Volatile organic compounds no VOC duties	<u> </u>		
II 15.2 Chamical safety assessment				

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements		
H301	:	Toxic if swallowed.
H302	:	Harmful if swallowed.
H310	:	Fatal in contact with skin.
H311	:	Toxic in contact with skin.
H314	:	Causes severe skin burns and eye damage.
H315	:	Causes skin irritation.
H317	:	May cause an allergic skin reaction.
H318	:	Causes serious eye damage.
H330	:	Fatal if inhaled.
H400	:	Very toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting effects.
Full text of other abbreviation	ns	
Acute Tox.	:	Acute toxicity
Aquatic Acute	:	Short-term (acute) aquatic hazard
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Eye Dam.	:	Serious eye damage
Skin Corr.	:	Skin corrosion
Skin Irrit.	:	Skin irritation
Skin Sens.	:	Skin sensitisation
ADR	:	European Agreement concerning the International Carriage of
		Dangerous Goods by Road
CAS	:	Chemical Abstracts Service

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika® ViscoCrete®-1050 con. 30% SPL-BT



Revision Date: 11.02.2025 Date of last issue: 22.03.2024	Version 4.0	Print Date 14.02.2025
DNEL : EC50 : GHS : IATA : IMDG : LD50 :	Derived no-effect level Half maximal effective concentration Globally Harmonized System International Air Transport Association International Maritime Code for Dangerous Good Median lethal dosis (the amount of a material, gi once, which causes the death of 50% (one half)	ven all at
LC50 :	test animals) Median lethal concentration (concentrations of th air that kills 50% of the test animals during the o period)	ne chemical in
MARPOL :	International Convention for the Prevention of Po	
	Ships, 1973 as modified by the Protocol of 1978 Occupational Exposure Limit Persistent, bioaccumulative and toxic Predicted no effect concentration Regulation (EC) No 1907/2006 of the European and of the Council of 18 December 2006 concer istration, Evaluation, Authorisation and Restriction	Parliament ning the Reg- on of Chemi-
SVHC : vPvB :	cals (REACH), establishing a European Chemica Substances of Very High Concern Very persistent and very bioaccumulative	ais Agency

Further information

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

NL / EN