Sika[®] Ucrete[®] UD 200 Part C



Revision Date: 30.01.2025 Date of last issue: 18.01.2025 Version 2.1

Print Date 30.01.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sika[®] Ucrete[®] UD 200 Part C

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Flooring system

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Nederland B.V.
		Zonnebaan 56
		3542 EG Utrecht
		Nederland
Telephone	:	+31-30-2410120
Telefax	:	+31-30-2414482
E-mail address of person	:	EHS@nl.sika.com
responsible for the SDS		

1.4 Emergency telephone number

+31-57-0854201

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)Skin irritation, Category 2H315: Causes skin irritation.Serious eye damage, Category 1H318: Causes serious eye damage.Skin sensitisation, Category 1H317: May cause an allergic skin reaction.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:	LE	
Signal word	:	Danger	
Hazard statements	:	H315 H317 H318	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage.

Sika® Ucrete® UD 200 Part C



Revision Date: 30.01.2025 Date of last issue: 18.01.2025	Version 2.1	Print Date 30.01.2025

Precautionary statements	:	Prevention:	
		P261 P264 P280	Avoid breathing dust. Wash skin thoroughly after handling. Wear protective gloves/ eye protection/ face protection.
		Response:	F
		•	
		P305 + P351 + F	P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove con- tact lenses, if present and easy to do. Con- tinue rinsing. Immediately call a POISON CENTER/ doctor.
		P333 + P313	If skin irritation or rash occurs: Get medical advice/ attention.
		P362 + P364	Take off contaminated clothing and wash it before reuse.

Hazardous components which must be listed on the label:

Cement, portland, chemicals

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No.	Classification	Concentration (% w/w)
	Registration number		· · · ·
Cement, portland, chemicals	65997-15-1 266-043-4	Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 STOT SE 3; H335	>= 10 - < 20

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Sika® Ucrete® UD 200 Part C

Revision Date: 30.01.2025
Date of last issue: 18.01.2025

Version 2.1

calcium dihydroxide	1305-62-0 215-137-3 01-2119475151-45- XXXX	Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT SE 3; H335 (Beapiratory system)	>= 1 - < 2,5
White mineral oil (petroleum)	8042-47-5 232-455-8 01-2119487078-27- XXXX	(Respiratory system) Asp. Tox. 1; H304	>= 1 - < 2,5
Substances with a workplace exp			
Quartz (SiO2)	14808-60-7 238-878-4		>= 40 - < 60
Quartz (SiO2)	14808-60-7 238-878-4		>= 25 - < 40

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

	General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
	If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
	In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
	In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
	If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2	Most important symptoms and	d e	ffects, both acute and delayed
	Symptoms	:	Allergic reactions Excessive lachrymation Erythema Dermatitis

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika® Ucrete® UD 200 Part C



Revision Date: 30.01.2025 Date of last issue: 18.01.2025		Version 2.1	Print Date 30.01.202
		See Section 11 for more detailed information and symptoms.	on on health effects
Risks	:	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage.	
		irritant effects sensitising effects	
4.3 Indication of any immediate	me	dical attention and special treatment need	led
Treatment	:	Treat symptomatically.	
SECTION 5: Firefighting meas	sur	es	
5.1 Extinguishing media			
Suitable extinguishing media	:	In case of fire, use water/water spray/water ide/sand/foam/alcohol resistant foam/chem extinction.	
5.2 Special hazards arising from	the	e substance or mixture	
• •		e substance or mixture No hazardous combustion products are kn	own
Hazardous combustion prod- ucts			own
Hazardous combustion prod- ucts 5.3 Advice for firefighters	:		
ucts 5.3 Advice for firefighters Special protective equipment	:	No hazardous combustion products are kn	
Hazardous combustion prod- ucts 5.3 Advice for firefighters Special protective equipment for firefighters Further information	:	No hazardous combustion products are known In the event of fire, wear self-contained bree Standard procedure for chemical fires.	
Hazardous combustion prod- ucts 5.3 Advice for firefighters Special protective equipment for firefighters Further information SECTION 6: Accidental releas	: : : : :	No hazardous combustion products are known In the event of fire, wear self-contained bree Standard procedure for chemical fires.	
Hazardous combustion prod- ucts 5.3 Advice for firefighters Special protective equipment for firefighters Further information SECTION 6: Accidental releas	: : ser	No hazardous combustion products are known in the event of fire, wear self-contained bree Standard procedure for chemical fires.	
Hazardous combustion prod- ucts 5.3 Advice for firefighters Special protective equipment for firefighters Further information SECTION 6: Accidental releas 6.1 Personal precautions, protect	: : ser	No hazardous combustion products are known In the event of fire, wear self-contained bree Standard procedure for chemical fires. measures e equipment and emergency procedures Use personal protective equipment.	

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Pick up and arrange disposal without creating dust.
		Keep in suitable, closed containers for disposal.

Sika® Ucrete® UD 200 Part C



Revision Date: 30.01.2025 Date of last issue: 18.01.2025 Version 2.1

Print Date 30.01.2025

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

	Advice on safe handling	:	Do not breathe vapours/dust. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asth- ma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the ap- plication area. Follow standard hygiene measures when handling chemical products
	Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
	Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2	Conditions for safe storage, i	ncl	uding any incompatibilities
	Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
	Further information on stor- age stability	:	No decomposition if stored and applied as directed.
7.3	Specific end use(s)		
	Specific use(s)	:	Consult most current local Product Data Sheet prior to any use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
Quartz (SiO2)	14808-60-7	TLV-8hr (Respira-	0,075 mg/m3	NL WG

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Sika® Ucrete® UD 200 Part C

Revision Date: 30.01.2025 Date of last issue: 18.01.2025 Version 2.1

Print Date 30.01.2025

		ble dust)	(Silica)				
	Further infor	mation: Carcinogenic	substances, bas	sed on the			
	thresholdlimi	t effect					
Quartz (SiO2)	14808-60-7	TLV-8hr (Respira- ble dust)	0,075 mg/m3 (Silica)	NL WG			
	Further infor	mation: Carcinogenic	substances, bas	sed on the			
	thresholdlimi	thresholdlimit effect					
calcium dihydroxide	1305-62-0	TWA (Respirable	1 mg/m3	2017/164/EU			
		fraction)	-				
	Further information: Indicative						
		STEL (Respirable fraction)	4 mg/m3	2017/164/EU			
		TLV-8hr (Respira- ble)	1 mg/m3	NL WG			
		TLV-15 min (Res- pirable)	4 mg/m3	NL WG			
White mineral oil (petroleum)	8042-47-5	TLV-8hr (Mist)	5 mg/m3	NL WG			

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment Eye/face protection Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water Hand protection : Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications. Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed. Skin and body protection Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, : long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work. Respiratory protection 5 In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Methods for determining inhalation exposure). This applies in particular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.

Sika® Ucrete® UD 200 Part C



Revision Date: 30.01.2025	Version 2.1	Print Date 30.01.2025
Date of last issue: 18.01.2025		

Environmental exposure controls

General advice :

: Do not flush into surface water or sanitary sewer system.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Appearance Colour	:	solid Amorphous powder beige
Odour	:	odourless
Melting point/ range / Freez- ing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available

Upper/lower flammability or explosive limits

Upper explosion limit / Up- per flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	> 100 °C Method: closed cup Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	> 11 Concentration: 50 %
Viscosity Viscosity, kinematic	:	Not applicable
Solubility(ies) Water solubility	:	No data available

Sika® Ucrete® UD 200 Part C



Revision Date: 30.01.2025 Date of last issue: 18.01.2025		Version 2.1	Print Date 30.01.2025
Partition coefficient: n-	:	No data available	

Vapour pressure	:	No data available
Density	:	No data available
Relative vapour density	:	No data available
Particle characteristics	:	No data available

9.2 Other information

octanol/water

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No hazardous decomposition products are known.



Revision Date: 30.01.2025 Date of last issue: 18.01.2025 Version 2.1

Print Date 30.01.2025

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Not classified due to lack of data. **Components:** White mineral oil (petroleum): Acute oral toxicity : LD50 Oral (Rat): > 5.000 mg/kg Acute inhalation toxicity : LC50 (Rat): > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Acute dermal toxicity : LD50 Dermal (Rabbit): > 2.000 mg/kg Skin corrosion/irritation Causes skin irritation. Serious eye damage/eye irritation Causes serious eye damage. Respiratory or skin sensitisation Skin sensitisation May cause an allergic skin reaction. **Respiratory sensitisation** Not classified due to lack of data. Germ cell mutagenicity Not classified due to lack of data. Carcinogenicity Not classified due to lack of data. **Reproductive toxicity** Not classified due to lack of data. STOT - single exposure Not classified due to lack of data. **STOT - repeated exposure** Not classified due to lack of data. Aspiration toxicity Not classified due to lack of data.



Revision Date: 30.01.2025 Date of last issue: 18.01.2025

Version 2.1

Print Date 30.01.2025

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

White mineral oil (petroleum	n):	
Toxicity to fish	:	(Leuciscus idus (Golden orfe)): > 1.000 mg/l Exposure time: 96 h
Toxicity to algae/aquatic plants	:	NOEC (Pseudokirchneriella subcapitata (green algae)): >= 100 mg/l Exposure time: 72 h

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment	: The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation
	(EU) 2017/2100 or Commission Regulation (EU) 2018/605 at
	levels of 0.1% or higher.

Sika[®] Ucrete[®] UD 200 Part C



Revision Date: 30.01.2025 Date of last issue: 18.01.2025 Version 2.1

Print Date 30.01.2025

12.7 Other adverse effects

Product:

Additional ecological infor-: There is no data available for this product. mation

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	

The generation of waste should be avoided or minimized : wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe wav. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		
ADR	:	Not regulated as a dangerous good
Country NL 000000724028		

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika® Ucrete® UD 200 Part C



Revision Date: 30.01.2025 Date of last issue: 18.01.2025	Version	2.1	Print Date 30.01.20
IMDG	: Not regulated as a da	ingerous good	
IATA (Cargo)	: Not regulated as a da	0 0	
IATA (Passenger)	: Not regulated as a da		
4.5 Environmental hazards Not regulated as a dangerou	-		
4.6 Special precautions for us Not applicable	er		
4.7 Maritime transport in bulk Not applicable for product as	-	ents	
SECTION 15: Regulatory info	rmation		
5.1 Safety, health and environ International Chemical Weap Schedules of Toxic Chemica	ons Convention (CWC)	tion specific for the : Not applicable	substance or mixture
REACH Information:	All substances contai - registered by our up - registered by us, an - excluded from the re - exempted from the re	stream suppliers, and d/or egulation, and/or	
REACH - Restrictions on the the market and use of certair mixtures and articles (Annex	dangerous substances,	lowing entries	estriction for the fol- should be considered: 47: Cement, port- s
REACH - Candidate List of S Concern for Authorisation (A		: None of the col (=> 0.1 %).	mponents are listed
REACH - List of substances (Annex XIV)	subject to authorisation	: Not applicable	
Regulation (EC) on substanc layer	es that deplete the ozone	: Not applicable	
Regulation (EU) 2019/1021 o tants (recast)	n persistent organic pollu-	: Not applicable	
Regulation (EU) No 649/201	of the European Parlia-	: Not applicable	

Sika[®] Ucrete[®] UD 200 Part C



Revision Date: 30.01.2025 Version 2.1 Print Date 30.01.2025 Date of last issue: 18.01.2025 of dangerous chemicals Netherlands. Substances of very high concern (ZZS-list) : Quartz (SiO2) Crystalline silica Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable Volatile organic compounds Law on the incentive tax for volatile organic compounds ÷ (VOCV) Volatile organic compounds (VOC) content: < 0,01% w/w no VOC duties Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: < 0,01% w/w

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements		
H304 H315 H317 H318 H335	May be fatal if swallowed and enters airways. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. May cause respiratory irritation.	
Full text of other abbreviatio		
Asp. Tox. Eye Dam. Skin Irrit. Skin Sens. STOT SE 2017/164/EU	Aspiration hazard Serious eye damage Skin irritation Skin sensitisation Specific target organ toxicity - single exposure Europe. Commission Directive 2017/164/EU establishi ourth list of indicative occupational exposure limit valu	-
NL WG	Netherlands. Law on Labour conditions - Occupational sure Limits	Expo-
2017/164/EU / STEL 2017/164/EU / TWA NL WG / TLV-8hr NL WG / TLV-15 min ADR	Short term exposure limit Limit Value - eight hours Fime Weighted Average Short Term Exposure Limit European Agreement concerning the International Car Dangerous Goods by Road	riage of

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika® Ucrete® UD 200 Part C

Jika®

Revision Date: 30.01.2025			
Date of last issue: 18.01.2025			

Version 2.1

Print Date 30.01.2025

CAS DNEL EC50 GHS IATA IMDG LD50	 Chemical Abstracts Service Derived no-effect level Half maximal effective concentration Globally Harmonized System International Air Transport Association International Maritime Code for Dangerous Goods Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of 	
LC50	 test animals) Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period) 	
MARPOL	 International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978 	
OEL	: Occupational Exposure Limit	
PBT	: Persistent, bioaccumulative and toxic	
PNEC	: Predicted no effect concentration	
REACH	: Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency	
SVHC	: Substances of Very High Concern	
vPvB	: Very persistent and very bioaccumulative	

Further information

Classification of the mixture:		Classification procedure:	
Skin Irrit. 2	H315	Calculation method	
Eye Dam. 1	H318	Calculation method	
Skin Sens. 1	H317	Calculation method	

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

NL / EN