

Version 2.10

Print Date 15.11.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: PCI Barrafix[®] 920 Part B

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Adhesive

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Nederland B.V. Zonnebaan 56
		3542 EG Utrecht
		Nederland
Telephone	:	+31-30-2410120
Telefax	:	+31-30-2414482
E-mail address of person	:	EHS@nl.sika.com
responsible for the SDS		

1.4 Emergency telephone number

+31-57-0854201

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)Eye irritation, Category 2H319: Causes serious eye irritation.Skin sensitisation, Category 1H317: May cause an allergic skin reaction.Short-term (acute) aquatic hazard, Category 1H400: Very toxic to aquatic life.Long-term (chronic) aquatic hazard, Category 1H410: Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Warning

2

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

PCI Barrafix® 920 Part B



Revision Date: 14.11.2024 Date of last issue: 16.10.2024			Version 2.10	Print Date 15.11.2024
Hazard statements	:	H317 H319 H410	May cause an allergic skin reaction. Causes serious eye irritation. Very toxic to aquatic life with long la	sting effects.
Precautionary statements	:	P101 P102	If medical advice is needed, ha container or label at hand. Keep out of reach of children.	ve product
		Prevention		
		P273 P280	Avoid release to the environme Wear protective gloves/ eye pro protection.	
		Response:		
		P391	Collect spillage.	
		Disposal:		
		P501	Dispose of contents/container in with local regulation.	n accordance

Hazardous components which must be listed on the label:

dibenzoyl peroxide

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



Version 2.10

Print Date 15.11.2024

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		· · ·
dibenzoyl peroxide	94-36-0 202-327-6 01-2119511472-50- XXXX	Org. Perox. B; H241 Eye Irrit. 2; H319 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10	>= 10 - < 20

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

		-
General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Immediately flush eye(s) with plenty of water. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Allergic reactions

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

PCI Barrafix® 920 Part B



Revision Date: 14.11.2024 Date of last issue: 16.10.2024		Version 2.10	Print Date 15.11.202
		Excessive lachrymation See Section 11 for more detailed informa and symptoms.	tion on health effects
Risks	:	irritant effects sensitising effects	
		May cause an allergic skin reaction. Causes serious eye irritation.	
4.3 Indication of any immediate	mec	dical attention and special treatment nee	eded
Treatment	:	Treat symptomatically.	
5.1 Extinguishing media Suitable extinguishing media	:	In case of fire, use water/water spray/wat	
	:	In case of fire, use water/water spray/wat ide/sand/foam/alcohol resistant foam/che extinction.	
Suitable extinguishing media 5.2 Special hazards arising from		ide/sand/foam/alcohol resistant foam/che extinction.	mical powder for
Suitable extinguishing media		ide/sand/foam/alcohol resistant foam/che extinction.	mical powder for
Suitable extinguishing media 5.2 Special hazards arising from Specific hazards during fire- fighting	the :	ide/sand/foam/alcohol resistant foam/che extinction. e substance or mixture Do not allow run-off from fire fighting to en	mical powder for
Suitable extinguishing media 5.2 Special hazards arising from Specific hazards during fire- fighting Hazardous combustion prod-	the :	ide/sand/foam/alcohol resistant foam/che extinction. e substance or mixture Do not allow run-off from fire fighting to en courses.	mical powder for
Suitable extinguishing media 5.2 Special hazards arising from Specific hazards during fire- fighting Hazardous combustion prod- ucts	the :	ide/sand/foam/alcohol resistant foam/che extinction. e substance or mixture Do not allow run-off from fire fighting to en courses. No hazardous combustion products are k	mical powder for nter drains or water

SECTION 6: Accidental release measures

6.1 Personal precautions, protect	6.1 Personal precautions, protective equipment and emergency procedures					
Personal precautions	:	Use personal protective equipment. Deny access to unprotected persons.				
6.2 Environmental precautions						
Environmental precautions	:	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.				
Country NI 10000004207		1	1			



Revision Date: 14.11.2024

Date of last issue: 16.10.2024

Version 2.10

Print Date 15.11.2024

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

	Advice on safe handling	:	 Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products
	Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
	Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2	Conditions for safe storage, i	incl	uding any incompatibilities
	Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
	Further information on stor- age stability	:	No decomposition if stored and applied as directed.
7.3	Specific end use(s)		
	Specific use(s)	:	Consult most current local Product Data Sheet prior to any use.



Version 2.10

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
		-		

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection :	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.
	Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection :	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection	No special measures required.
Environmental exposure contr	ols
General advice	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Appearance	:	paste
Colour	:	black

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

PCI Barrafix[®] 920 Part B



Revision Date: 14.11.2024 Date of last issue: 16.10.2024		Version 2.10	Print Date 15.11.2024
Odour	:	slight	
Melting point/ range / Freez- ing point	:	No data available	
Boiling point/boiling range	:	> 50 °C	
Flammability (solid, gas)	:	No data available	
Upper/lower flammability or		olosive limits	
Upper explosion limit / Upper flammability limit			
Lower explosion limit / Lower flammability limit	:	No data available	
Flash point	:	Not applicable	
Auto-ignition temperature	:	No data available	
Decomposition temperature	:	No data available	
рН	:	6 Concentration: 10 %	
Viscosity			
Viscosity, kinematic	:	> 20,5 mm2/s (40 °C)	
Solubility(ies)			
Water solubility	:	No data available	
Partition coefficient: n- octanol/water	:	No data available	
Vapour pressure	:	0,01 hPa	
Density	:	ca. 1,55 g/cm3 (20 °C)	
Relative vapour density	:	No data available	



Print Date 15.11.2024

Date of last issue: 16.10.2024		
Particle characteristics	: No data available	
9.2 Other information		
No data available		
SECTION 10: Stability and r	eactivity	
10.1 Reactivity		
No dangerous reaction know	n under conditions of normal use.	
10.2 Chemical stability		
The product is chemically st	able.	
10.3 Possibility of hazardous r	eactions	
Hazardous reactions	: Stable under recommended storage conditions	
10.4 Conditions to avoid		
Conditions to avoid	: No data available	
10.5 Incompatible materials		
Materials to avoid	: No data available	
10.6 Hazardous decomposition	products	
	: No hazardous decomposition products are kno	wn.
SECTION 11: Toxicological	nformation	

Version 2.10

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Not classified due to lack of data. <u>Components:</u> dibenzoyl peroxide: Acute oral toxicity : LD50 Oral (Rat): > 5.000 mg/kg Acute inhalation toxicity : LC50 (Rat): > 24,3 mg/l Exposure time: 4 h Test atmosphere: dust/mist

Revision Date: 14.11.2024

_

PCI Barrafix[®] 920 Part B

Jika®

Revision Date: 14.11.2024 Date of last issue: 16.10.2024 Version 2.10

Print Date 15.11.2024

Skin corrosion/irritation

Not classified due to lack of data.

Serious eye damage/eye irritation Causes serious eye irritation.

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified due to lack of data.

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Not classified due to lack of data.

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

Not classified due to lack of data.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

dibenzoyl peroxide:

M-Factor (Acute aquatic tox- : 10 icity)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

PCI Barrafix® 920 Part B



Revision Date: 14.11.2024 Version 2.10 Print Date 15.11.2024 Date of last issue: 16.10.2024 M-Factor (Chronic aquatic : 10 toxicity) 12.2 Persistence and degradability No data available 12.3 Bioaccumulative potential No data available 12.4 Mobility in soil No data available 12.5 Results of PBT and vPvB assessment Product: Assessment 1 This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher... 12.6 Endocrine disrupting properties Product: : The substance/mixture does not contain components consid-Assessment ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. 12.7 Other adverse effects Product: Additional ecological infor-An environmental hazard cannot be excluded in the event of • unprofessional handling or disposal. mation Very toxic to aquatic life with long lasting effects. **SECTION 13: Disposal considerations**

13.1 Waste treatment methods

Product	: The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues.
	This material and its container must be disposed of in a safe way.
	Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.
	Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional



Barratix®	920	Part B		

Revision Date: 14.11.2024 Date of last issue: 16.10.2024		Version 2.10	Print Date 15.11.2024
		local authority requirements. Avoid dispersal of spilled material and runoff and soil, waterways, drains and sewers.	d contact with
European Waste Catalogue	:	08 04 09* waste adhesives and sealants contain solvents or other dangerous substances	ning organic
Contaminated packaging	:	15 01 10* packaging containing residues of or contract by dangerous substances	ontaminated

SECTION 14: Transport information

14.1 UN number or ID number				
ADR	:	UN 3077		
IMDG	:	UN 3077		
ΙΑΤΑ	:	UN 3077		
14.2 UN proper shipping name				
ADR	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (dibenzoyl peroxide)		
IMDG	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (dibenzoyl peroxide)		
ΙΑΤΑ	:	Environmentally hazardous substance, solid, n.o.s., Environ- mentally hazardous substance, solid, n.o.s. (dibenzoyl peroxide)		
14.3 Transport hazard class(es)				
		Class Subsidiary risks		
ADR	:	9		
IMDG	:	9		
ΙΑΤΑ	:	9		
14.4 Packing group				
ADR Packing group Classification Code Hazard Identification Number Labels Tunnel restriction code Remarks		III M7 90 9 (-) Transport in accordance with special provision 375		

IMDG

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

PCI Barrafix® 920 Part B



Revision Date: 14.11.2024 Date of last issue: 16.10.2024		Version 2.10	Print Date 15.11.2024
Packing group Labels EmS Code Remarks		III 9 F-A, S-F Transport in accordance with 2.10.2.7 of the IMD	0G-Code
IATA (Cargo) Packing instruction (cargo aircraft) Packing instruction (LQ) Packing group Labels Remarks	:	956 Y956 III Miscellaneous Transport in accordance with special regulation <i>i</i>	A 197
IATA (Passenger) Packing instruction (passen- ger aircraft) Packing instruction (LQ) Packing group Labels	:	956 Y956 III Miscellaneous	
14.5 Environmental hazards			
ADR Environmentally hazardous IMDG	:	yes	
Marine pollutant IATA (Passenger)	:	yes	
Environmentally hazardous IATA (Cargo) Environmentally hazardous	:	yes	

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors

- regis	ostances contained in our Products are tered by our upstream suppliers, and/or tered by us, and/or
---------	--

Sika®

Revision Date: 14.11.2024 Date of last issue: 16.10.2024	Version 2.7	10	Print Date 15.11.2024
	 excluded from the regination exempted from the regination 		
REACH - Restrictions on the mar the market and use of certain dar mixtures and articles (Annex XVII	ngerous substances,	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 3
			Number on list 75:
REACH - Candidate List of Subst Concern for Authorisation (Article		:	None of the components are listed (=> 0.1 %).
REACH - List of substances subje (Annex XIV)	ect to authorisation	:	Not applicable
Regulation (EC) on substances th layer	nat deplete the ozone	:	Not applicable
Regulation (EU) 2019/1021 on pe tants (recast)	ersistent organic pollu-	:	Not applicable
Regulation (EU) No 649/2012 of t ment and the Council concerning of dangerous chemicals		:	Not applicable
Seveso III: Directive 2012/18/EU jor-accident hazards involving dar E1			t and of the Council on the control of ma-
Volatile organic compounds :	Law on the incentive tax (VOCV) no VOC duties	x fc	or volatile organic compounds
			4 November 2010 on industrial ution prevention and control)

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.



Version 2.10

Print Date 15.11.2024

SECTION 16: Other information

Full text of H-Statements		
H241	:	Heating may cause a fire or explosion.
H317	:	May cause an allergic skin reaction.
H319	:	Causes serious eye irritation.
H400	:	Very toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting effects.
Full text of other abbreviatio	ns	
Aquatic Acute	:	Short-term (acute) aquatic hazard
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Eye Irrit.	:	Eye irritation
Org. Perox.	:	Organic peroxides
Skin Sens.	:	Skin sensitisation
ADR	:	European Agreement concerning the International Carriage of Dangerous Goods by Road
CAS	:	Chemical Abstracts Service
DNEL	:	Derived no-effect level
EC50	:	Half maximal effective concentration
GHS	:	Globally Harmonized System
ΙΑΤΑ	:	International Air Transport Association
IMDG	:	International Maritime Code for Dangerous Goods
LD50	:	Median lethal dosis (the amount of a material, given all at
		once, which causes the death of 50% (one half) of a group of
		test animals)
LC50	:	Median lethal concentration (concentrations of the chemical in
		air that kills 50% of the test animals during the observation
		period)
MARPOL	:	International Convention for the Prevention of Pollution from
		Ships, 1973 as modified by the Protocol of 1978
OEL	:	Occupational Exposure Limit
PBT	:	Persistent, bioaccumulative and toxic
PNEC	:	Predicted no effect concentration
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament
		and of the Council of 18 December 2006 concerning the Reg-
		istration, Evaluation, Authorisation and Restriction of Chemi-
0)////0		cals (REACH), establishing a European Chemicals Agency
SVHC	÷	Substances of Very High Concern
vPvB	:	Very persistent and very bioaccumulative

Further information

Classification of the	Classification procedure:	
Eye Irrit. 2	H319	Calculation method
Skin Sens. 1	H317	Calculation method
Aquatic Acute 1	H400	Calculation method
Aquatic Chronic 1	H410	Calculation method



Revision Date: 14.11.2024 Date of last issue: 16.10.2024 Version 2.10

Print Date 15.11.2024

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

NL / EN