

Version 6.0

Print Date 16.01.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sikasil[®] IG-25 HM Plus Part B

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use

: Catalyst for 2 Comp. sealants/adhesives., Sealing system

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Nederland B.V.
		Zonnebaan 56
		3542 EG Utrecht
		Nederland
Telephone	:	+31-30-2410120
Telefax	:	+31-30-2414482
E-mail address of person	:	EHS@nl.sika.com
responsible for the SDS		

1.4 Emergency telephone number

+31-57-0854201

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4	H302: Harmful if swallowed.
Skin irritation, Category 2	H315: Causes skin irritation.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Specific target organ toxicity - repeated exposure, Category 1	H372: Causes damage to organs through pro- longed or repeated exposure if inhaled.
Long-term (chronic) aquatic hazard, Cat- egory 3	H412: Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikasil[®] IG-25 HM Plus Part B



Revision Date: 16.01.2025 Date of last issue: 17.01.2024 Version 6.0

Print Date 16.01.2025

Hazard pictograms		
Signal word	: Danger	
Hazard statements	: H302 H315 H317 H318 H372 H412	Harmful if swallowed. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Causes damage to organs through prolonged or repeated exposure if inhaled. Harmful to aquatic life with long lasting effects.
Precautionary statements	: Preventio P260 P264 P273 P280	n: Do not breathe mist or vapours. Wash skin thoroughly after handling. Avoid release to the environment. Wear protective gloves/ eye protection/ face protection.
	Response	e: 151 + P338 + P310 IF IN EYES: Rinse cautiously
	P303 + P3	with water for several minutes. Remove con- tact lenses, if present and easy to do. Con- tinue rinsing. Immediately call a POISON CENTER/ doctor. Get medical advice/ attention if you feel un- well.

Hazardous components which must be listed on the label:

4,4,7,7-tetraethoxy-3,8-dioxa-4,7-disiladecane N-[3-(triethoxysilyl)propyl]ethylenediamine

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



Sikasil[®] IG-25 HM Plus Part B

Revision Date: 16.01.2025 Date of last issue: 17.01.2024 Version 6.0

Print Date 16.01.2025

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
4,4,7,7-tetraethoxy-3,8-dioxa-4,7- disiladecane	16068-37-4 240-212-2 01-2120764364-51- XXXX	Acute Tox. 3; H301 Acute Tox. 4; H312 STOT RE 1; H372 Aquatic Chronic 3; H412 Acute toxicity esti- mate Acute oral toxicity: 161 mg/kg Acute dermal toxicity: 1.971 mg/kg	>= 20 - < 25
N-[3- (triethoxysi- lyl)propyl]ethylenediamine Contains: N,N'-bis[3- (triethoxysi- lyl)propyl]ethylenediamine >= 3 - <= 5 % N1,N1-Bis[3-(triethoxysilyl)propyl]- 1,2-ethanediamine >= 3 - <= 5 % di- aminoethylaminopropyltetraethox- ydisiloxane >= 3 - <= 5 %	5089-72-5 225-806-1 01-2120767929-30- XXXX	Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317	>= 10 - < 20
tetraethyl silicate	78-10-4 201-083-8 01-2119496195-28- XXXX	Flam. Liq. 3; H226 Acute Tox. 4; H332 Eye Irrit. 2; H319 STOT SE 3; H335	>= 5 - < 10
1,2-Bis(triethoxysilyl)ethene	87061-56-1 Not Assigned	Acute Tox. 3; H301 Acute Tox. 4; H312 Aquatic Chronic 3; H412 EUH071 Acute toxicity estimate	>= 5 - < 10
		Acute oral toxicity: 161 mg/kg Acute dermal toxicity: 1.971 mg/kg	

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikasil[®] IG-25 HM Plus Part B

Revision Date: 16.01.2025 Date of last issue: 17.01.2024 Version 6.0



Print Date 16.01.2025

ate of last issue: 17.01.2024	Version o	.0	
Silicic acid (H4SiO4), tetraethyl ester, reaction products with bis(acetyloxy)dibutylstannane	93925-42-9 300-344-4 01-2119560586-30- XXXX	Flam. Liq. 3; H226 Acute Tox. 4; H302 Acute Tox. 4; H332 Eye Dam. 1; H318 Muta. 2; H341 Repr. 1B; H360FD STOT SE 1; H370 STOT RE 1; H372 Aquatic Chronic 3; H412 specific concentration limit Repr. 1B; H360FD >= 0,6 % specific concentration limit Muta. 2; H341 >= 2 % specific concentration limit STOT SE 1; H370 >= 20 % specific concentration limit STOT SE 2; H371 >= 2 % specific concentration limit STOT SE 2; H371 >= 2 % specific concentration limit STOT RE 1; H372 >= 20 %	>= 0,25 - < 0,3
		Acute toxicity esti- mate Acute oral toxicity: 1.000 mg/kg	



Version 6.0

Print Date 16.01.2025

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid me	sures	
General advice	Con	e out of dangerous area. sult a physician. w this safety data sheet to the doctor in attendance.
If inhaled		re to fresh air. sult a physician after significant exposure.
In case of skin contact	Was	e off contaminated clothing and shoes immediately. sh off with soap and plenty of water. mptoms persist, call a physician.
In case of eye contact	sue In th of w Con Ren	all amounts splashed into eyes can cause irreversible tis- damage and blindness. The case of contact with eyes, rinse immediately with plenty ater and seek medical advice. tinue rinsing eyes during transport to hospital. hove contact lenses. p eye wide open while rinsing.
If swallowed	Rins Do i	not induce vomiting without medical advice. se mouth with water. not give milk or alcoholic beverages. er give anything by mouth to an unconscious person.
4.2 Most important symptoms	and effect	s, both acute and delayed
Symptoms	Alle Exc Eryt Der See	trointestinal discomfort rgic reactions essive lachrymation hema matitis Section 11 for more detailed information on health effects symptoms.
Risks		ant effects sitising effects
	Cau May Cau Cau	mful if swallowed. ses skin irritation. cause an allergic skin reaction. ses serious eye damage. ses damage to organs through prolonged or repeated osure if inhaled.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikasil[®] IG-25 HM Plus Part B

_



Revision Date: 16.01.2025 Date of last issue: 17.01.2024	Version 6.0	Print Date 16.01.2025		
4.3 Indication of any immediate medical attention and special treatment needed				
Treatment :	Treat symptomatically.			
SECTION 5: Firefighting measu	res			
5.1 Extinguishing media				
Suitable extinguishing media :	In case of fire, use water/water spray/water jet/o ide/sand/foam/alcohol resistant foam/chemical extinction.			
5.2 Special hazards arising from th	e substance or mixture			
Hazardous combustion prod- : ucts	No hazardous combustion products are known			
5.3 Advice for firefighters				
-	In the event of fire, wear self-contained breathin	ig apparatus.		
Further information :	Standard procedure for chemical fires.			
SECTION 6: Accidental release	measures			
6.1 Personal precautions, protectiv	e equipment and emergency procedures			
Personal precautions :	Use personal protective equipment. Deny access to unprotected persons.			
6.2 Environmental precautions				
Environmental precautions :	Do not flush into surface water or sanitary sewe If the product contaminates rivers and lakes or respective authorities.			
6.3 Methods and material for containment and cleaning up				
Methods for cleaning up :	Soak up with inert absorbent material (e.g. sand acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal			
6.4 Reference to other sections				
For personal protection see sect	ion 8.			

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid exceeding the given occupational exposure limits (see

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regula-

tion (EU) 2020/878

Sikasil[®] IG-25 HM Plus Part B



Revision Date: 16.01.2025 Version 6.0 Print Date 16.01.2025 Date of last issue: 17.01.2024 section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products Advice on protection against : Normal measures for preventive fire protection. fire and explosion : Handle in accordance with good industrial hygiene and safety Hygiene measures practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday. 7.2 Conditions for safe storage, including any incompatibilities Requirements for storage • Keep container tightly closed in a dry and well-ventilated areas and containers place. Store in accordance with local regulations. Further information on stor-No decomposition if stored and applied as directed. : age stability 7.3 Specific end use(s) Specific use(s) Consult most current local Product Data Sheet prior to any use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
tetraethyl silicate	78-10-4	TWA	5 ppm 44 mg/m3	2017/164/EU
	Further inform	nation: Indicative		
		TWA	1,4 ppm 12 mg/m3	DE TRGS 900
		TLV-8hr	5 ppm 44 mg/m3	NL WG

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form	Control parame-	Basis *

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Sikasil[®] IG-25 HM Plus Part B

Revision Date: 16.01.2025 Date of last issue: 17.01.2024 Version 6.0

Print Date 16.01.2025

		of exposure)	ters *	
ethanol	64-17-5	TLV-8hr	137 ppm	NL WG
			260 mg/m3	
	Further informa	ation: Carcinogenic	substances, Skin	notation
		TLV-15 min	1.000 ppm	NL WG
			1.900 mg/m3	

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection :	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water			
Hand protection :	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications. Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.			
Skin and body protection :	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.			
Respiratory protection :	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.			
Environmental exposure controls				
General advice :	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform			

respective authorities.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 Sikasil® IG-25 HM Plus Part B



Revision Date: 16.01.2025 Date of last issue: 17.01.2024 Version 6.0

Print Date 16.01.2025

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Appearance Colour	:	solid paste dark grey, black
Odour	:	very faint
Melting point/ range / Freez- ing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or	exn	losive limits
Upper explosion limit / Upper flammability limit	•	
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available

рН	:	ca. 8 - 10
		Concentration: 100 %

- Viscosity Viscosity, dynamic : ca. 500.000 mPa.s (20 °C)
 - Viscosity, kinematic : > 20,5 mm2/s (40 °C)

Solubility(ies)

Water solubility : No data available

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikasil[®] IG-25 HM Plus Part B



Revision Date: 16.01.2025 Date of last issue: 17.01.2024	Version 6.0	Print Date 16.01.2025
Partition coefficient: n- octanol/water	: No data available	
Vapour pressure	: 0,01 hPa	
Density	: ca. 1,08 g/cm3 (20 °C)	
Relative vapour density	: No data available	
Particle characteristics	: No data available	
9.2 Other information Flammable solids Burning rate	: > 120 s Method: UN-Test N1	

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

Hazardous decomposition : ethanol products



Version 6.0

Print Date 16.01.2025

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Harmful if swallowed. Components:

4,4,7,7-tetraethoxy-3,8-dioxa-4,7-disiladecane:

Acute oral toxicity		LD50 Oral (Rat): 161 mg/kg		
		Acute toxicity estimate: 161 mg/kg Method: Calculation method		
Acute dermal toxicity	:	LD50 Dermal (Rat): 1.971 mg/kg		
		Acute toxicity estimate: 1.971 mg/kg Method: Calculation method		
1,2-Bis(triethoxysilyl)ethene	:			
Acute oral toxicity	:	LD50 Oral (Rat): 161 mg/kg		
		Acute toxicity estimate: 161 mg/kg Method: Calculation method		
Acute inhalation toxicity	:	Assessment: Corrosive to the respiratory tract.		
Acute dermal toxicity	:	LD50 Dermal (Rat): 1.971 mg/kg		
		Acute toxicity estimate: 1.971 mg/kg Method: Calculation method		
Silicic acid (H4SiO4), tetraethyl ester, reaction products with bis(acetyloxy)dibutylstannane:				
Acute oral toxicity	:	LD50 Oral (Rat): 1.000 mg/kg		
		Acute toxicity estimate: 1.000 mg/kg Method: Calculation method		
Skin corrosion/irritation Causes skin irritation.				
Serious eye damage/eye irritation Causes serious eye damage.				
Respiratory or skin sensitisation				
Skin sensitisation				
May cause an allergic skin reaction.				



Version 6.0

Print Date 16.01.2025

Respiratory sensitisation

Not classified due to lack of data.

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Not classified due to lack of data.

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

Not classified due to lack of data.

STOT - repeated exposure

Causes damage to organs through prolonged or repeated exposure if inhaled.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

N-[3-(triethoxysilyl)propyl]ethylenediamine:

Toxicity to fish (Chronic toxicity) : LC50: 597 mg/l Exposure time: 96 h Species: Danio rerio (zebra fish)

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available



Version 6.0

Print Date 16.01.2025

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

	Ρ	ro	d	u	C	t	
--	---	----	---	---	---	---	--

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-	:	An environmental hazard cannot be excluded in the event of
mation		unprofessional handling or disposal.
		Harmful to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	v E T E a p I d A	The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional ocal authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
European Waste Catalogue		08 04 09* waste adhesives and sealants containing organic solvents or other dangerous substances
Contaminated packaging		5 01 10* packaging containing residues of or contaminated by dangerous substances



Version 6.0

Print Date 16.01.2025

SECTION 14: Transport information

14.1 UN number or ID number

ADR		Not regulated as a dangerous good
	•	
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA (Cargo)	:	Not regulated as a dangerous good
IATA (Passenger)	:	Not regulated as a dangerous good
14.5 Environmental hazards		

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legis	slation	specific for the substance or mixture
International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors	:	Not applicable

REACH Information:

All substances contained in our Products are

- registered by our upstream suppliers, and/or
- registered by us, and/or
- excluded from the regulation, and/or
- exempted from the registration.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Sikasil[®] IG-25 HM Plus Part B

Revision Date: 16.01.2025 Date of last issue: 17.01.2024	Version 6	6.0	Print Date 16.01.2025
REACH - Restrictions on the mar the market and use of certain dar mixtures and articles (Annex XVII	ngerous substances,	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 3
			Number on list 75:
REACH - Candidate List of Subst Concern for Authorisation (Article		:	None of the components are listed (=> 0.1 %).
REACH - List of substances subje (Annex XIV)	ect to authorisation	:	Not applicable
Regulation (EC) on substances the layer	nat deplete the ozone	:	Not applicable
Regulation (EU) 2019/1021 on pe tants (recast)	ersistent organic pollu-	:	Not applicable
Regulation (EU) No 649/2012 of t ment and the Council concerning of dangerous chemicals		:	Not applicable
Seveso III: Directive 2012/18/EU jor-accident hazards involving dat		nen	t and of the Council on the control of ma-
Volatile organic compounds :	(VOCV)		or volatile organic compounds ds (VOC) content: < 0,01% w/w
	emissions (integrated	poll	4 November 2010 on industrial ution prevention and control) ds (VOC) content: < 0,01% w/w

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.



Sikasil[®] IG-25 HM Plus Part B

Revision Date: 16.01.2025 Date of last issue: 17.01.2024 Version 6.0

Print Date 16.01.2025

SECTION 16: Other information

Full text of H-Statements H226 Flammable liquid and vapour. H301 Toxic if swallowed. : Harmful if swallowed. H302 : H312 Harmful in contact with skin. : Causes skin irritation. H315 1 May cause an allergic skin reaction. H317 Causes serious eye damage. H318 Causes serious eye irritation. H319 Harmful if inhaled. H332 H335 May cause respiratory irritation. Suspected of causing genetic defects. H341 May damage fertility. May damage the unborn child. H360FD Causes damage to organs. H370 Causes damage to organs through prolonged or repeated H372 exposure if inhaled. H372 : Causes damage to organs through prolonged or repeated exposure if swallowed. Harmful to aquatic life with long lasting effects. H412 : Full text of other abbreviations Acute Tox. Acute toxicity Long-term (chronic) aquatic hazard Aquatic Chronic Eve Dam. Serious eye damage Eye irritation Eye Irrit. : Flam. Liq. : Flammable liquids Muta. Germ cell mutagenicity Repr. : Reproductive toxicity Skin Irrit. Skin irritation : Skin Sens. Skin sensitisation : STOT RE Specific target organ toxicity - repeated exposure : Specific target organ toxicity - single exposure STOT SE Europe. Commission Directive 2017/164/EU establishing a 2017/164/EU fourth list of indicative occupational exposure limit values Germany. TRGS 900 - Occupational exposure limit values. DE TRGS 900 NL WG Netherlands. Law on Labour conditions - Occupational Exposure Limits Limit Value - eight hours 2017/164/EU / TWA Time Weighted Average DE TRGS 900 / TWA Time Weighted Average NL WG / TLV-8hr Short Term Exposure Limit NL WG / TLV-15 min : ADR European Agreement concerning the International Carriage of : Dangerous Goods by Road CAS **Chemical Abstracts Service** DNEL Derived no-effect level Half maximal effective concentration EC50 GHS **Globally Harmonized System** : IATA International Air Transport Association : International Maritime Code for Dangerous Goods IMDG

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikasil[®] IG-25 HM Plus Part B



Revision Date: 16.01.2025 Date of last issue: 17.01.2024		Version 6.0	Print Date 16.01.2025
LD50	:	Median lethal dosis (the amount of a material, g	
LC50	:	once, which causes the death of 50% (one half test animals) Median lethal concentration (concentrations of air that kills 50% of the test animals during the	the chemical in
MARPOL	:	period) International Convention for the Prevention of F Ships, 1973 as modified by the Protocol of 1975	
OEL	:	Occupational Exposure Limit	
PBT	:	Persistent, bioaccumulative and toxic	
PNEC		Predicted no effect concentration	
REACH	:	Regulation (EC) No 1907/2006 of the Europear and of the Council of 18 December 2006 conce istration, Evaluation, Authorisation and Restrict cals (REACH), establishing a European Chemi	erning the Reg- ion of Chemi-
SVHC	:	Substances of Very High Concern	
vPvB	:	Very persistent and very bioaccumulative	

Further information

Classification of the	mixture:	Classification procedure:
Acute Tox. 4	H302	Calculation method
Skin Irrit. 2	H315	Calculation method
Eye Dam. 1	H318	Calculation method
Skin Sens. 1	H317	Calculation method
STOT RE 1	H372	Calculation method
Aquatic Chronic 3	H412	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

NL / EN