

Revision Date: 02.09.2024 Date of last issue: 30.08.2024 Version 10.0

Print Date 06.09.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sikafloor[®]-328 Part B

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use

: Flooring system, For professional users only.

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Nederland B.V.
		Zonnebaan 56
		3542 EG Utrecht
		Nederland
Telephone	:	+31-30-2410120
Telefax	:	+31-30-2414482
E-mail address of person	:	EHS@nl.sika.com
responsible for the SDS		

1.4 Emergency telephone number

+31-57-0854201

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture


Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4	H332: Harmful if inhaled.
Skin irritation, Category 2	H315: Causes skin irritation.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Respiratory sensitisation, Category 1	H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Carcinogenicity, Category 2	H351: Suspected of causing cancer.
Specific target organ toxicity - single ex- posure, Category 3, Respiratory system	H335: May cause respiratory irritation.
Specific target organ toxicity - repeated exposure, Category 2	H373: May cause damage to organs through pro- longed or repeated exposure if inhaled.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikafloor®-328 Part B

Revision Date: 02.09.2024 Date of last issue: 30.08.2024 Version 10.0



2.2 Label elements

Labelling (REGULATION	(EC)	No 1272/20	08)
Hazard pictograms	:		
Signal word	:	Danger	
Hazard statements	:	H315 H317 H319 H332 H334 H335 H351 H373	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful if inhaled. May cause allergy or asthma symptoms or breath- ing difficulties if inhaled. May cause respiratory irritation. Suspected of causing cancer. May cause damage to organs through prolonged or repeated exposure if inhaled.
Precautionary statements	:	Preventio P201 P260 P264 P280 Response P304 + P3	Obtain special instructions before use. Do not breathe mist or vapours. Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection.
		P342 + P3	POISON CENTER/ doctor if you feel unwell.

Hazardous components which must be listed on the label:

4,4'-Methylenediphenyl diisocyanate, oligomers

Additional Labelling

"As from 24 August 2023 adequate training is required before industrial or professional use."

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 Sikafloor®-328 Part B



Revision Date: 02.09.2024 Date of last issue: 30.08.2024 Version 10.0

Print Date 06.09.2024

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components			
Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
4,4'-Methylenediphenyl diisocya- nate, oligomers Contains: 2,6-di-tert-butyl-p-cresol >= 0,1 - <= 0,25 %	Not Assigned 701-393-8 500-313-7 01-2119486870-28- XXXX	Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H334 Skin Sens. 1; H317 Carc. 2; H351 STOT SE 3; H335 (Respiratory system) STOT RE 2; H373	>=80

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Immediately flush eye(s) with plenty of water. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.

Sikafloor®-328 Part B

Revision Date: 02.09.2024

Date of last issue: 30.08.2024



Print Date 06.09.2024

4.2 Most important symptoms and effects, both acute and delayed

Symptoms	: Asthmatic appearance Cough Respiratory disorder Allergic reactions Excessive lachrymation Erythema Headache Dermatitis See Section 11 for more detailed information on health effects and symptoms.
Risks	 irritant effects sensitising effects Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful if inhaled. May cause allergy or asthma symptoms or breathing difficul- ties if inhaled. May cause respiratory irritation. Suspected of causing cancer.
	May cause damage to organs through prolonged or repeated exposure if inhaled.

Version 10.0

4.3 Indication of any immediate medical attention and special treatment needed

i realment . i real symptomatica	Treatment	:	Treat symptomatically	y.
----------------------------------	-----------	---	-----------------------	----

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.
5.2 Special hazards arising from	the	e substance or mixture
Hazardous combustion prod- ucts	:	No hazardous combustion products are known
5.3 Advice for firefighters		
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
Further information	:	Standard procedure for chemical fires.



Revision Date: 02.09.2024 Date of last issue: 30.08.2024 Version 10.0

Print Date 06.09.2024

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Use personal protective equipment. Deny access to unprotected persons.

6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
		Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	 Avoid formation of aerosol. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Provide sufficient air exchange and/or exhaust in work rooms. Follow standard hygiene measures when handling chemical products
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.



Sikafloor [®] -328 Part B	
Revision Date: 02.09.2024	Version 10.0

Print Date 06.09.2024

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storag areas and containers	e :	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re- sealed and kept upright to prevent leakage. Store in accord- ance with local regulations.
Further information on st age stability	tor- :	No decomposition if stored and applied as directed.
7.3 Specific end use(s)		
Specific use(s)	:	Cleaning with aprotic polar solvents must be avoided. Consult most current local Product Data Sheet prior to any use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Date of last issue: 30.08.2024

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
		of exposure)	lers	

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal	protective	equipment
----------	------------	-----------

Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.
		Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.



Revision Date: 02.09.2024 Date of last issue: 30.08.2024	Version 10.0	Print Date 06.09.2024
Respiratory protection	 In case of inadequate ventilation wea Respirator selection must be based o exposure levels, the hazards of the pring limits of the selected respirator. Use a properly fitted NIOSH approved respirator complying with an approved sessment indicates this is necessary. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3 Ensure adequate ventilation. This car exhaust extraction or by general venti ods for determining inhalation exposu ticular to the mixing / stirring area. In to keep the concentrations under the limits then respiration protection meas Ensure adequate ventilation, especial 	on known or anticipated roduct and the safe work- d air-purifying or air-fed d standard if a risk as- 8: < 10000 ppm n be achieved by local ilation. (EN 689 - Meth- ure). This applies in par- case this is not sufficent occupational exposure sures must be used.
Environmental exposure of	controls	
General advice	: Do not flush into surface water or san If the product contaminates rivers and respective authorities.	

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

-	Physical state Colour	:	liquid clear
	Odour	:	characteristic
	Melting point/ range / Freez- ing point	:	No data available
	Boiling point/boiling range	:	No data available
	Flammability (solid, gas)	:	No data available
	Upper/lower flammability or e	exp	losive limits
	Upper explosion limit / Up- per flammability limit	-	
	Lower explosion limit / Lower flammability limit	:	No data available
	Flash point	:	100 °C

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikafloor®-328 Part B



Revision Date: 02.09.2024 Date of last issue: 30.08.2024	Version 10.0		Print Date 06.09.2024
		Method: closed cup	
Auto-ignition temperature	:	No data available	
Decomposition temperature	:	No data available	
рН	:	Not applicable substance/mixture reacts with water	
Viscosity Viscosity, kinematic	:	> 7 mm2/s (40 °C)	
Solubility(ies)			
Water solubility	:	No data available	
Partition coefficient: n- octanol/water	:	No data available	
Vapour pressure	:	0,01 hPa	
Density	:	1,23 g/cm3 (20 °C)	
Relative vapour density	:	No data available	
Particle characteristics	:	No data available	

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikafloor®-328 Part B



evision Date: 02.09.2024 ate of last issue: 30.08.2024	Version 10.0	Print Date 06.09.2024
Conditions to avoid	: No data available	
0.5 Incompatible materials		
Materials to avoid	: No data available	
0.6 Hazardous decomposition	products	
	: No hazardous decomposition products are	known.
ECTION 11: Toxicological i	nformation	
	ses as defined in Regulation (EC) No 1272/200	08
Acute toxicity Harmful if inhaled.		
Components:		
4,4'-Methylenediphenyl dia Acute oral toxicity	ocyanate, oligomers: : LD50 Oral (Rat): > 5.000 mg/kg	
Acute dermal toxicity	: LD50 Dermal (Rat): > 9.400 mg/kg	
Skin corrosion/irritation Causes skin irritation.		
Serious eye damage/eye ir		
Causes serious eye irritation		
Respiratory or skin sensiti Skin sensitisation	sation	
May cause an allergic skin re	action.	
Respiratory sensitisation May cause allergy or asthma	symptoms or breathing difficulties if inhaled.	
Germ cell mutagenicity Not classified due to lack of	lata.	
Carcinogenicity Suspected of causing cance		
Reproductive toxicity		
Not classified due to lack of	ala.	
STOT - single exposure		

Sikafloor®-328 Part B



Revision Date: 02.09.2024 Date of last issue: 30.08.2024 Version 10.0

Print Date 06.09.2024

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure if inhaled.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Sikafloor®-328 Part B



Revision Date: 02.09.2024	Version 10.0	Print Date 06.09.2024
Date of last issue: 30.08.2024		

12.7 Other adverse effects

Product:

Additional ecological infor- : There is no data available for this product. mation

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	 The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a license waste disposal contractor. Disposal of this product, solutions and any by-products shoul at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. 	ed Id
European Waste Catalogue	: 08 05 01* waste isocyanates	
Contaminated packaging	15 01 10* packaging containing residues of or contaminated by dangerous substances	

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikafloor®-328 Part B

Revision Date: 02.09.2024

_



Print Date 06.09.2024

Date of last issue: 30.08.2024			
ΙΑΤΑ	: Not regulated as a dan		
14.4 Packing group	. Not regulated as a dati		
ADR	: Not regulated as a dan		
IMDG	: Not regulated as a dan		
IATA (Cargo)	: Not regulated as a dan		
IATA (Passenger)	: Not regulated as a dan	gerous good	
4.5 Environmental hazards			
Not regulated as a dange	•		
14.6 Special precautions for Not applicable	user		
14.7 Maritime transport in bu	Ik according to IMO instrume	ents	
Not applicable for product	•		
SECTION 15: Regulatory i	nformation		
International Chemical We Schedules of Toxic Chem REACH Information:	eapons Convention (CWC) icals and Precursors All substances contain	: Not applicable	
REACH Information.	 registered by our ups registered by us, and excluded from the reg 	stream suppliers, and/or d/or egulation, and/or	
	- exempted from the re	gistration.	
	the manufacture, placing on tain dangerous substances, nex XVII)	: Conditions of restriction for the fol- lowing entries should be considered: Number on list 3	
		Number on list 56: 4,4'- Methylenediphenyl diisocyanate, oligomers	
		Number on list 74: 4,4'- Methylenediphenyl diisocyanate, oligomers	

Version 10.0

REACH - Candidate List of Substances of Very High
Concern for Authorisation (Article 59).None of the components are listed
(=> 0.1 %).

REACH - List of substances subject to authorisation : Not applicable

Sikafloor®-328 Part B



Revision Date: 02.09.2024 Date of last issue: 30.08.2024	Version 10.0	Print Date 06.09.2024			
(Annex XIV)					
Regulation (EC) on substances that deplete the ozone : Not applicable layer					
Regulation (EU) 2019/1021 on pe tants (recast)					
e	egulation (EU) No 649/2012 of the European Parlia- : Not applicable ent and the Council concerning the export and import dangerous chemicals				
	Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of ma- jor-accident hazards involving dangerous substances. Not applicable				
Volatile organic compounds :	Law on the incentive tax for volatile organic con (VOCV) no VOC duties	mpounds			
	Directive 2010/75/EU of 24 November 2010 on emissions (integrated pollution prevention and Not applicable				
15.2 Chemical safety assessment					

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements

	H315	:	Causes skin irritation.			
	H317	:	May cause an allergic skin reaction.			
	H319	:	Causes serious eye irritation.			
	H332	:	Harmful if inhaled.			
	H334	:	May cause allergy or asthma symptoms or breathing difficul- ties if inhaled.			
	H335	:	May cause respiratory irritation.			
	H351	:	Suspected of causing cancer.			
	H373	:	May cause damage to organs through prolonged or repeated exposure if inhaled.			
Full text of other abbreviations						
	Acute Tox.	:	Acute toxicity			
	Carc.	:	Carcinogenicity			
	Eye Irrit.	:	Eye irritation			

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikafloor®-328 Part B

Revision Date: 02.09.2024 Date of last issue: 30.08.2024

Version 10.0

Print Date 06.09.2024

Resp. Sens.	: Respiratory sensitisation
Skin Irrit.	: Skin irritation
Skin Sens.	: Skin sensitisation
STOT RE	: Specific target organ toxicity - repeated exposure
STOT SE	: Specific target organ toxicity - single exposure
ADR	: European Agreement concerning the International Carriage of
	Dangerous Goods by Road
CAS	: Chemical Abstracts Service
DNEL	: Derived no-effect level
EC50	: Half maximal effective concentration
GHS	: Globally Harmonized System
ΙΑΤΑ	: International Air Transport Association
IMDG	: International Maritime Code for Dangerous Goods
LD50	: Median lethal dosis (the amount of a material, given all at
	once, which causes the death of 50% (one half) of a group of
	test animals)
LC50	: Median lethal concentration (concentrations of the chemical in
	air that kills 50% of the test animals during the observation
	period)
MARPOL	: International Convention for the Prevention of Pollution from
	Ships, 1973 as modified by the Protocol of 1978
OEL	: Occupational Exposure Limit
PBT	: Persistent, bioaccumulative and toxic
PNEC	: Predicted no effect concentration
REACH	: Regulation (EC) No 1907/2006 of the European Parliament
	and of the Council of 18 December 2006 concerning the Reg-
	istration, Evaluation, Authorisation and Restriction of Chemi-
	cals (REACH), establishing a European Chemicals Agency
SVHC	: Substances of Very High Concern
vPvB	: Very persistent and very bioaccumulative
	· · · · ·

Further information

Classification of the	mixture:	Classification procedure:	
Acute Tox. 4	H332	Calculation method	
Skin Irrit. 2	H315	Calculation method	
Eye Irrit. 2	H319	Calculation method	
Resp. Sens. 1	H334	Calculation method	
Skin Sens. 1	H317	Calculation method	
Carc. 2	H351	Calculation method	
STOT SE 3	H335	Calculation method	
STOT RE 2	H373	Calculation method	

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.



SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 Sikafloor®-328 Part B

Version 10.0

Revision Date: 02.09.2024 Date of last issue: 30.08.2024

Changes as compared to previous version !

NL / EN



Print Date 06.09.2024