PCI Flexmörtel[®] S1



Revision Date: 20.11.2024 Date of last issue: -

Version 1.1

Print Date 22.11.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

[:] PCI Flexmörtel[®] S1

1.2 Relevant identified uses of the substance or mixture and uses advised against

: Tile adhesive Product use

1.3 Details of the supplier of the safety data sheet

:	Sika Nederland B.V.
	Zonnebaan 56
	3542 EG Utrecht
	Nederland
:	+31-30-2410120
:	+31-30-2414482
:	EHS@nl.sika.com
	:

1.4 Emergency telephone number

+31-57-0854201

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)					
Skin irritation, Category 2	H315: Causes skin irritation.				
Serious eye damage, Category 1	H318: Causes serious eye damage.				
Specific target organ toxicity - single ex- posure, Category 3, Respiratory system	H335: May cause respiratory irritation.				

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:	LE	
Signal word	:	Danger	
Hazard statements	:	H315 H318	Causes skin irritation. Causes serious eye damage.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

PCI Flexmörtel[®] S1



Revision Date: 20.11.2024 Date of last issue: -	Version 1.1		Print Date 22.11.2024
	H335 Ma	y cause respiratory irritation.	
Precautionary statements :	P101	If medical advice is needed, hav container or label at hand.	e product
	P102	Keep out of reach of children.	
	Prevention:		
	P271	Use only outdoors or in a well-ve ea.	entilated ar-
	P280	Wear protective gloves/ eye prot protection.	ection/ face
	Response:		
	P305 + P351 +	P338 + P310 IF IN EYES: Rinse with water for several minutes. R tact lenses, if present and easy t tinue rinsing. Immediately call a CENTER/ doctor.	Remove con- to do. Con-
	Disposal:		
	P501	Dispose of contents/container in with local regulation.	accordance

Hazardous components which must be listed on the label:

Cement (chromium reduced)

2.3 Other hazards

The content of soluble Chromium (VI) is not greater than 0,0002% in accordance with Annex XVII, Paragraph 47 of the EU Regulation 1907/2006. The product reacts highly alkaline with water.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

PCI Flexmörtel[®] S1

Revision Date: 20.11.2024 Date of last issue: - Version 1.1

Print Date 22.11.2024

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

oompononto				
Chemical name	CAS-No.	Classification	Concentration	
	EC-No.		(% w/w)	
	Registration number			
Cement (chromium reduced)	65997-15-1	Skin Irrit. 2; H315	>= 25 - < 40	
	266-043-4	Eye Dam. 1; H318		
		STOT SE 3; H335		
		(Respiratory system)		
calcium diformate	544-17-2	Eye Dam. 1; H318	>= 1 - < 2,5	
	208-863-7	-		
	01-2119486476-24-			
	XXXX			
Substances with a workplace exposure limit :				
Quartz (SiO2)	14808-60-7		>= 40 - < 60	
	238-878-4			

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.



PCI Flexmörtel[®] S1



Revision Date: 20.11.2024Version 1.1Print Date 22.11.2024Date of last issue: -

4.2 Most important symptoms and effects, both acute and delayed

Symptoms	 Cough Respiratory disorder Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information on health effects and symptoms.
Risks	 Causes skin irritation. Causes serious eye damage. May cause respiratory irritation. irritant effects
4.3 Indication of any immedia Treatment	te medical attention and special treatment needed : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing	i	n case of fire, use water/water spray/water jet/carbon diox- de/sand/foam/alcohol resistant foam/chemical powder for extinction.
5.2 Special hazards arisi	ng from the s	substance or mixture
•	•	No hazardous combustion products are known
5.3 Advice for firefighters	5	
Special protective equ for firefighters	ipment : I	n the event of fire, wear self-contained breathing apparatus.
Further information	: 5	Standard procedure for chemical fires.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures						
Personal precautions :	Use personal protective equipment. Avoid breathing dust. Deny access to unprotected persons.					
6.2 Environmental precautions						
Environmental precautions :	Try to prevent the material from entering drains or water courses.					

PCI Flexmörtel[®] S1



Revision Date: 20.11.2024	Version 1.1	Print Date 22.11.2024
Date of last issue: -		

No special environmental precautions required.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up

: Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling Advice on safe handling Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products Advice on protection against : Avoid dust formation. Provide appropriate exhaust ventilation fire and explosion at places where dust is formed. Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday. 7.2 Conditions for safe storage, including any incompatibilities Requirements for storage Keep container tightly closed in a dry and well-ventilated areas and containers place. Store in accordance with local regulations. Further information on stor-: Keep in a dry place. age stability No decomposition if stored and applied as directed. 7.3 Specific end use(s) Specific use(s) Consult most current local Product Data Sheet prior to any use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parame-	Basis *
------------	---------	------------------	-----------------	---------

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



PCI Flexmörtel® S1

Revision Date: 20.11.2024 Date of last issue: - Version 1.1

Print Date 22.11.2024

		of exposure)	ters *	
Quartz (SiO2)	14808-60-7	TLV-8hr (Respira-	0,075 mg/m3	NL WG
		ble dust)	(Silica)	
	Further information: Carcinogenic substances, based on the thresholdlimit effect			

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipmen	t
Eye/face protection :	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications.
	Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.
Skin and body protection :	Dust impervious protective suit Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection :	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. particulate filter P P1: Inert material; P2, P3: hazardous substances Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.

Environmental exposure controls

General advice	: Try to prevent the material from entering drains or water
	courses.
	No special environmental precautions required.



Revision Date: 20.11.2024 Date of last issue: - Version 1.1

Print Date 22.11.2024

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

information on basic physical	an	a chemical properties
Physical state Appearance	:	solid powder
Colour	:	grey
Odour	:	odourless
Melting point/ range / Freez- ing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flommability or	o.v.r	Jacivo limito
Upper/lower flammability or o Upper explosion limit / Up-	-	
per flammability limit	-	
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	> 11 Concentration: 50 %
		Concentration: 50 %
Viscosity		Neterritechie
Viscosity, dynamic	÷	Not applicable
Viscosity, kinematic	:	Not applicable
Solubility(ies)		
Water solubility	:	dispersible
		•

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

PCI Flexmörtel® S1



Revision Date: 20.11.2024 Date of last issue: -	Version 1.1	Print Date 22.11.2024
Partition coefficient: n- octanol/water	: No data available	
Vapour pressure	: No data available	
Density	: 1,4 g/cm3	
Bulk density	: ca. 1.800 - 2.400 kg/m3	
Relative vapour density	: No data available	
Particle characteristics	: No data available	
9.2 Other information		
Explosives	: Not explosive	

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

2

10.4 Conditions to avoid

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 PCI Flexmörtel[®] S1



Revision Date: 20.11.2024 Date of last issue: - Version 1.1

Print Date 22.11.2024

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Components:

calcium diformate:

Acute oral toxicity

: LD50 Oral (Rat): 3.050 mg/kg

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation

Not classified due to lack of data.

Respiratory sensitisation

Not classified due to lack of data.

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Not classified due to lack of data.

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

May cause respiratory irritation.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 PCI Flexmörtel[®] S1



Revision Date: 20.11.2024 Date of last issue: - Version 1.1

Print Date 22.11.2024

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment	:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher
		levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor- : There is no data available for this product. mation

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	 The generation of waste should be avoided or minimized wherever possible.
	Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe
	way.
	Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.

PCI Flexmörtel[®] S1



Revision Date: 20.11.2024 Date of last issue: - Version 1.1

Print Date 22.11.2024

Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

14.1	UN	number	or	ID	number

ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.2 UN proper shipping name				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.3 Transport hazard class(es)				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.4 Packing group				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
IATA (Cargo)	:	Not regulated as a dangerous good		
IATA (Passenger)	:	Not regulated as a dangerous good		
14.5 Environmental hazards				
Not regulated as a dangerous good				
14.6 Special precautions for use Not applicable	٢			

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

PCI Flexmörtel® S1



Revision Date: 20.11.2024 Date of last issue: -	Version 1	1.1	Print Date 22.11.2024
International Chemical Weapons Schedules of Toxic Chemicals an		:	Not applicable
REACH Information:	All substances contain - registered by our ups - registered by us, and - excluded from the reg - exempted from the reg	trea /or gula	am suppliers, and/or tion, and/or
REACH - Restrictions on the mar the market and use of certain dar mixtures and articles (Annex XVII	ngerous substances,	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 47: Cement (chromi- um reduced)
			Number on list 75:
REACH - Candidate List of Subst Concern for Authorisation (Article		:	None of the components are listed (=> 0.1 %).
REACH - List of substances subje (Annex XIV)	ect to authorisation	:	Not applicable
Regulation (EC) on substances th layer	nat deplete the ozone	:	Not applicable
Regulation (EU) 2019/1021 on pe tants (recast)	ersistent organic pollu-	:	Not applicable
Regulation (EU) No 649/2012 of t ment and the Council concerning of dangerous chemicals		:	Not applicable
Netherlands. Substances of very	high concern (ZZS-list)	:	Quartz (SiO2)
Seveso III: Directive 2012/18/EU jor-accident hazards involving dar		nent	t and of the Council on the control of ma-
Volatile organic compounds :	Law on the incentive ta (VOCV) no VOC duties	ax fo	or volatile organic compounds
	Directive 2010/75/EU	of 24	4 November 2010 on industrial

PCI Flexmörtel[®] S1



Revision Date: 20.11.2024 Date of last issue: - Version 1.1

Print Date 22.11.2024

Volatile organic compounds (VOC) content: < 0,01% w/w

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements		
H315	:	Causes skin irritation.
H318	:	Causes serious eye damage.
H335	:	May cause respiratory irritation.
Full text of other abbreviati	ons	
Eye Dam.	:	Serious eye damage
Skin Irrit.	:	Skin irritation
STOT SE	:	Specific target organ toxicity - single exposure
NL WG	:	Netherlands. Law on Labour conditions - Occupational Expo- sure Limits
NL WG / TLV-8hr	:	Time Weighted Average
ADR	:	European Agreement concerning the International Carriage of Dangerous Goods by Road
CAS	:	Chemical Abstracts Service
DNEL	:	Derived no-effect level
EC50	:	Half maximal effective concentration
GHS	:	Globally Harmonized System
IATA	:	International Air Transport Association
IMDG	:	International Maritime Code for Dangerous Goods
LD50	:	Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)
LC50	:	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)
MARPOL	:	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978
OEL	:	Occupational Exposure Limit
PBT	:	Persistent, bioaccumulative and toxic
PNEC	:	Predicted no effect concentration
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency
SVHC		Substances of Very High Concern
vPvB	÷	Very persistent and very bioaccumulative
	-	- , , , ,
Further information		
Classification of the mixtur	e:	Classification procedure:
Skin Irrit. 2	H3	15 Calculation method

PCI Flexmörtel[®] S1



Revision Date: 20.11.2024 Date of last issue: -		Version 1.1	Print Date 22.11.2024
Eye Dam. 1	H318	Calculation method	
STOT SE 3	H335	Calculation method	

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

NL / EN