

Revision Date: 20.11.2024 Date of last issue: 13.11.2024 Version 1.1

Print Date 22.11.2024

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1 Product identifier**

Trade name

: SikaEmaco<sup>®</sup> T 350 SL Part B

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Floor levelling compound

#### 1.3 Details of the supplier of the safety data sheet

| Company name of supplier | : | Sika Nederland B.V. |
|--------------------------|---|---------------------|
|                          |   | Zonnebaan 56        |
|                          |   | 3542 EG Utrecht     |
|                          |   | Nederland           |
| Telephone                | : | +31-30-2410120      |
| Telefax                  | : | +31-30-2414482      |
| E-mail address of person | : | EHS@nl.sika.com     |
| responsible for the SDS  |   |                     |

#### **1.4 Emergency telephone number**

+31-57-0854201

## **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

## Classification (REGULATION (EC) No 1272/2008)

Skin sensitisation, Category 1

H317: May cause an allergic skin reaction.


#### 2.2 Label elements

## Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms

| nazaru piciograms        | · |            |   |
|--------------------------|---|------------|---|
| Signal word              | : | Warning    |   |
| Hazard statements        | : | H317       | May cause an allergic skin reaction.                                  |
| Precautionary statements | : | P101       | If medical advice is needed, have product container or label at hand. |
|                          |   | P102       | Keep out of reach of children.  |
|                          |   | Prevention | :   |

А





| Revision Date: 20.11.2024<br>Date of last issue: 13.11.2024 | Version 1.1                     |   | Print Date 22.11.2024 |
|---|---------------------------------|---|-----------------------|
|   | P261<br>P280                    | Avoid breathing mist or vapours Wear protective gloves. | S.                    |
|   | <b>Response:</b><br>P302 + P352 | IF ON SKIN: Wash with plenty of                         | of water.             |
|   | Disposal:                       |   |                       |
|   | P501                            | Dispose of contents/container in with local regulation. | n accordance          |

#### Hazardous components which must be listed on the label:

2-methyl-2H-isothiazol-3-one (MIT)

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Contains a biocide in order to protect the product. Active ingredient: 1,2-benzisothiazol-3(2H)-one (BIT), 2634-33-5, 2-methyl-2H-isothiazol-3-one (MIT), 2682-20-4. Please use treated articles responsibly.

| SAFETY DATA SHEET  |
|--|
| according to Regulation (EC) No. 1907/2006, as amended by Commission Regula- |
| tion (EU) 2020/878   |
| SikaEmaco <sup>®</sup> T 350 SL Part B                                       |



Revision Date: 20.11.2024 Date of last issue: 13.11.2024

Version 1.1

Print Date 22.11.2024

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### Components

| Chemical name                         | CAS-No.<br>EC-No.<br>Registration number            | Classification   | Concentration<br>(% w/w) |
|---------------------------------------|---|--|--------------------------|
| 2-methyl-2H-isothiazol-3-one<br>(MIT) | 2682-20-4<br>220-239-6<br>01-2120764690-50-<br>XXXX | Acute Tox. 3; H301<br>Acute Tox. 2; H330<br>Acute Tox. 3; H311<br>Skin Corr. 1B; H314<br>Eye Dam. 1; H318<br>Skin Sens. 1A; H317<br>Aquatic Acute 1;<br>H400<br>Aquatic Chronic 1;<br>H410<br>EUH071<br>M-Factor (Acute<br>aquatic toxicity): 10<br>M-Factor (Chronic<br>aquatic toxicity): 1<br>specific concentration<br>limit<br>Skin Sens. 1A; H317<br>>= 0,0015 %<br>Acute toxicity esti-<br>mate<br>Acute oral toxicity: | >= 0,0025 - <<br>0,025   |
| For explanation of approviations so   |   | 200 mg/kg  |                          |

For explanation of abbreviations see section 16.

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

| General advice          | : Move out of dangerous area.<br>Consult a physician.<br>Show this safety data sheet to the doctor in attendance. |
|-------------------------|---|
| If inhaled              | : Move to fresh air.<br>Consult a physician after significant exposure.   |
| In case of skin contact | : Take off contaminated clothing and shoes immediately.   |

## SikaEmaco® T 350 SL Part B



| evision Date: 20.11.2024<br>ate of last issue: 13.11.2024  |                           | Version 1.1  | Print Date 22.11.2024                    |
|--|---------------------------|--|--|
|  |                           | Wash off with soap and plenty of water.<br>If symptoms persist, call a physician.  |  |
| In case of eye contact   | :                         | Remove contact lenses.<br>Keep eye wide open while rinsing.<br>If eye irritation persists, consult a specialist.   |  |
| If swallowed   | :                         | Do not induce vomiting without medical advi<br>Rinse mouth with water.<br>Do not give milk or alcoholic beverages.<br>Never give anything by mouth to an unconse                                   |  |
| l.2 Most important symptoms a  | and                       | effects, both acute and delayed  |  |
| Symptoms   | :                         | Allergic reactions<br>See Section 11 for more detailed information<br>and symptoms.  | n on health effects                      |
| Risks  | :                         | May cause an allergic skin reaction.   |  |
|  |                           |  |  |
| <b>.3 Indication of any immediate</b><br>Treatment   | e me                      | sensitising effects<br>dical attention and special treatment neede<br>Treat symptomatically.   | ed                                       |
| •  | :                         | dical attention and special treatment neede<br>Treat symptomatically.  | ed                                       |
| Treatment  | :                         | dical attention and special treatment neede<br>Treat symptomatically.  | ed                                       |
| Treatment  | :<br>asur                 | dical attention and special treatment neede<br>Treat symptomatically.  | jet/carbon diox-                         |
| Treatment<br>SECTION 5: Firefighting mea<br>5.1 Extinguishing media<br>Suitable extinguishing media  | :<br>asur                 | dical attention and special treatment needer<br>Treat symptomatically.<br><b>res</b><br>In case of fire, use water/water spray/water<br>ide/sand/foam/alcohol resistant foam/chemic<br>extinction. | jet/carbon diox-                         |
| Treatment<br>SECTION 5: Firefighting mea<br>5.1 Extinguishing media<br>Suitable extinguishing media<br>5.2 Special hazards arising from                                      | :<br>asur<br>a :<br>n the | dical attention and special treatment needer<br>Treat symptomatically.<br><b>res</b><br>In case of fire, use water/water spray/water<br>ide/sand/foam/alcohol resistant foam/chemic<br>extinction. | jet/carbon diox-<br>cal powder for       |
| Treatment<br>SECTION 5: Firefighting mea<br>5.1 Extinguishing media<br>Suitable extinguishing media<br>5.2 Special hazards arising fror<br>Hazardous combustion prod<br>ucts | :<br>asur<br>a :<br>n the | dical attention and special treatment neede<br>Treat symptomatically.<br>Tes<br>In case of fire, use water/water spray/water<br>ide/sand/foam/alcohol resistant foam/chemic<br>extinction.         | jet/carbon diox-<br>cal powder for       |
| Treatment<br>SECTION 5: Firefighting mea<br>5.1 Extinguishing media<br>Suitable extinguishing media<br>5.2 Special hazards arising fror<br>Hazardous combustion prod         | :<br>asur<br>a :<br>m the | dical attention and special treatment neede<br>Treat symptomatically.<br>Tes<br>In case of fire, use water/water spray/water<br>ide/sand/foam/alcohol resistant foam/chemic<br>extinction.         | jet/carbon diox-<br>cal powder for<br>wn |

| r r croonar precoudions, pro |   | e equipinent and emergency procedure                                      |
|------------------------------|---|---|
| Personal precautions         | : | Use personal protective equipment.<br>Deny access to unprotected persons. |
|                              |   |   |



SikaEmaco<sup>®</sup> T 350 SL Part B

| Revision Date: 20.11.2024      | Version 1.1 |
|--------------------------------|-------------|
| Date of last issue: 13.11.2024 |             |

Print Date 22.11.2024

### 6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system.

## 6.3 Methods and material for containment and cleaning up

- Methods for cleaning up
- : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For personal protection see section 8.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

| Advice on safe handling                         | :    | Avoid exceeding the given occupational exposure limits (see section 8).  |
|---|------|--|
|   |      | Do not get in eyes, on skin, or on clothing.<br>For personal protection see section 8.<br>Persons with a history of skin sensitisation problems or asth-<br>ma, allergies, chronic or recurrent respiratory disease should<br>not be employed in any process in which this mixture is being<br>used. |
|   |      | Smoking, eating and drinking should be prohibited in the ap-   |
|   |      | plication area.<br>Follow standard hygiene measures when handling chemical products  |
| Advice on protection against fire and explosion | :    | Normal measures for preventive fire protection.  |
| Hygiene measures                                | :    | Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.  |
| 7.2 Conditions for safe storage,                | incl | luding any incompatibilities   |
| Requirements for storage areas and containers   | :    | Keep container tightly closed in a dry and well-ventilated<br>place. Containers which are opened must be carefully re-<br>sealed and kept upright to prevent leakage. Store in accord-<br>ance with local regulations.   |
| Further information on stor-<br>age stability   | :    | No decomposition if stored and applied as directed.  |
| 7.3 Specific end use(s)                         |      |  |
| Specific use(s)                                 | :    | Consult most current local Product Data Sheet prior to any   |
| Country NL 000000722053                         |      | 5.   |



# SikaEmaco<sup>®</sup> T 350 SL Part B

| Revision Date: 20.11.2024      |  |
|--------------------------------|--|
| Date of last issue: 13.11.2024 |  |

\_

Version 1.1

use.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### Occupational Exposure Limits

| Components                             | CAS-No.          | Value type (Form<br>of exposure) | Control parame-<br>ters * | Basis * |
|--|------------------|----------------------------------|---------------------------|---------|
| Contains no substances with occupation | al exposure limi | t values.                        |                           |         |

#### 8.2 Exposure controls

#### Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

| Personal protective equipme | ent  |  |
|-----------------------------|------|--|
| Eye/face protection         | :    | Safety glasses with side-shields conforming to EN166<br>Eye wash bottle with pure water  |
| Hand protection             | :    | Chemical-resistant, impervious gloves complying with an ap-<br>proved standard must be worn at all times when handling<br>chemical products. Reference number EN 374. Follow manu-<br>facturer specifications.                                     |
|                             |      | Suitable for short time use or protection against splashes:<br>Butyl rubber/nitrile rubber gloves (> 0,1 mm)<br>Contaminated gloves should be removed.<br>Suitable for permanent exposure:<br>Viton gloves (0.4 mm),<br>breakthrough time >30 min. |
| Skin and body protection    | :    | Protective clothing (e.g. Safety shoes acc. to EN ISO 20345,<br>long-sleeved working clothing, long trousers). Rubber aprons<br>and protective boots are additionaly recommended for mixing<br>and stirring work.                                  |
| Respiratory protection      | :    | No special measures required.  |
| Environmental exposure cor  | ntro | bls  |
| General advice              |      | Do not flush into surface water or sanitary sewer system   |

General advice : Do not flush into surface water or sanitary sewer system.

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

| Physical state | : | liquid |
|----------------|---|--------|
| Colour         | : | white  |

## SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## SikaEmaco® T 350 SL Part B



| Revision Date: 20.11.2024<br>Date of last issue: 13.11.2024 | Version 1.1                                  | Print Date 22.11.2024 |
|---|--|-----------------------|
| Odour   | : ammoniacal                                 |                       |
| Melting point/ range / Freez-<br>ing point                  | : No data available                          |                       |
| Boiling point/boiling range                                 | : No data available                          |                       |
| Flammability (solid, gas)                                   | : No data available                          |                       |
| Upper/lower flammability or o                               | explosive limits                             |                       |
| Upper explosion limit / Upper flammability limit            | -  |                       |
| Lower explosion limit /<br>Lower flammability limit         | : No data available                          |                       |
| Flash point   | : Not applicable                             |                       |
| Auto-ignition temperature                                   | : No data available                          |                       |
| Decomposition temperature                                   | : No data available                          |                       |
| рН  | : ca. 9 - 10 (20 °C)<br>Concentration: 100 % |                       |
| Viscosity   |  |                       |
| Viscosity, dynamic  | : ca. 25 mPa.s (20 °C)                       |                       |
| Viscosity, kinematic  | : No data available                          |                       |
| Solubility(ies)   |  |                       |
| Water solubility  | : soluble                                    |                       |
| Partition coefficient: n-<br>octanol/water                  | : No data available                          |                       |
| Vapour pressure   | : 23 hPa                                     |                       |
| Density   | : ca. 1,02 g/cm3 (20 °C)                     |                       |



## SikaEmaco<sup>®</sup> T 350 SL Part B

| Revision Date: 20.11.2024<br>Date of last issue: 13.11.2024 | Version 1.1               | Print Date 22.11.2024 |
|---|---------------------------|-----------------------|
| Relative vapour density                                     | : No data available       |                       |
| Particle characteristics                                    | : No data available       |                       |
| 9.2 Other information<br>Explosives                         | : Not explosive           |                       |
| Metal corrosion rate  | : Not corrosive to metals |                       |
|   |                           |                       |

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

#### **10.2 Chemical stability**

The product is chemically stable.

#### 10.3 Possibility of hazardous reactions

|  | Hazardous reactions | : No hazards to be specially mentione |
|--|---------------------|---------------------------------------|
|--|---------------------|---------------------------------------|

#### 10.4 Conditions to avoid

| Conditions to avoid | : 1 | No data available |
|---------------------|-----|-------------------|
|                     |     |                   |

#### 10.5 Incompatible materials

Materials to avoid : No data available

#### **10.6 Hazardous decomposition products**

No hazardous decomposition products are known.

## **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Not classified due to lack of data.

#### **Components:**

#### 2-methyl-2H-isothiazol-3-one (MIT):

Acute oral toxicity : LD50 (Rat): 200 mg/kg

## SikaEmaco<sup>®</sup> T 350 SL Part B



Revision Date: 20.11.2024 Date of last issue: 13.11.2024

Skin corrosion/irritation

Not classified due to lack of data.

Version 1.1

Print Date 22.11.2024

## Serious eye damage/eye irritation Not classified due to lack of data. Respiratory or skin sensitisation Skin sensitisation May cause an allergic skin reaction. Respiratory sensitisation Not classified due to lack of data.

Germ cell mutagenicity Not classified due to lack of data.

## Carcinogenicity

Not classified due to lack of data.

### Reproductive toxicity

Not classified due to lack of data.

#### STOT - single exposure

Not classified due to lack of data.

## STOT - repeated exposure

Not classified due to lack of data.

#### Aspiration toxicity Not classified due to lack of data.

#### 11.2 Information on other hazards

#### **Endocrine disrupting properties**

#### Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

#### **Components:**

2-methyl-2H-isothiazol-3-one (MIT):

M-Factor (Acute aquatic tox- : 10

## SikaEmaco® T 350 SL Part B



Revision Date: 20.11.2024 Date of last issue: 13.11.2024 Version 1.1

Print Date 22.11.2024

icity)

M-Factor (Chronic aquatic : 1 toxicity)

#### 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

Product:

| Ass | essi | mer | ۱t |
|-----|------|-----|----|
|     |      |     |    |

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

#### 12.6 Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### 12.7 Other adverse effects

#### Product:

Additional ecological infor- : There is no data available for this product. mation

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

| Product | <ul> <li>The generation of waste should be avoided or minimized<br/>wherever possible.</li> <li>Empty containers or liners may retain some product residues.<br/>This material and its container must be disposed of in a safe<br/>way.</li> <li>Dispose of surplus and non-recyclable products via a licensed<br/>waste disposal contractor.</li> </ul> |
|---------|--|
|         | waste disposal contractor.<br>Disposal of this product, solutions and any by-products should<br>at all times comply with the requirements of environmental   |

Revision Date: 20.11.2024

Date of last issue: 13.11.2024

Version 1.1

Print Date 22.11.2024

protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

## **SECTION 14: Transport information**

#### 14.1 UN number or ID number

| ADR                             | : | Not regulated as a dangerous good |
|---------------------------------|---|-----------------------------------|
| IMDG                            | : | Not regulated as a dangerous good |
| ΙΑΤΑ                            | : | Not regulated as a dangerous good |
| 14.2 UN proper shipping name    |   |                                   |
| ADR                             | : | Not regulated as a dangerous good |
| IMDG                            | : | Not regulated as a dangerous good |
| ΙΑΤΑ                            | : | Not regulated as a dangerous good |
| 14.3 Transport hazard class(es) |   |                                   |
| ADR                             | : | Not regulated as a dangerous good |
| IMDG                            | : | Not regulated as a dangerous good |
| ΙΑΤΑ                            | : | Not regulated as a dangerous good |
| 14.4 Packing group              |   |                                   |
| ADR                             | : | Not regulated as a dangerous good |
| IMDG                            | : | Not regulated as a dangerous good |
| IATA (Cargo)                    | : | Not regulated as a dangerous good |
| IATA (Passenger)                | : | Not regulated as a dangerous good |
| 14.5 Environmental hazards      |   |                                   |

Not regulated as a dangerous good

## 14.6 Special precautions for user

Not applicable

#### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

## **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
 International Chemical Weapons Convention (CWC) : Not applicable
 Schedules of Toxic Chemicals and Precursors



## SikaEmaco® T 350 SL Part B



| Revision Date: 20.11.2024<br>Date of last issue: 13.11.2024   | Version   | 1.1   | Print Date 22.11.2024                                    |
|---|---|---|--|
| REACH Information:  | All substances contain<br>- registered by our up<br>- registered by us, and<br>- excluded from the re<br>- exempted from the re | stream suppliers, ar<br>d/or<br>egulation, and/or |  |
| REACH - Restrictions on the mathematic the market and use of certain date mixtures and articles (Annex X) | angerous substances,  |   | restriction for the fol-<br>should be considered:<br>t 3 |
|   |   | Number on lis                                     | it 75:   |
| REACH - Candidate List of Sub<br>Concern for Authorisation (Artic   |   | : None of the co<br>(=> 0.1 %).                   | omponents are listed                                     |
| REACH - List of substances sub<br>(Annex XIV)   | pject to authorisation  | : Not applicable                                  | 9  |
| Regulation (EC) on substances layer   | that deplete the ozone  | : Not applicable                                  | 9  |
| Regulation (EU) 2019/1021 on p<br>tants (recast)  | persistent organic pollu-   | : Not applicable                                  | 9  |
| Regulation (EU) No 649/2012 o<br>ment and the Council concernin<br>of dangerous chemicals                 |   | : Not applicable                                  | 9  |
| Seveso III: Directive 2012/18/EU jor-accident hazards involving d   |   | ment and of the Cou                               | uncil on the control of ma-                              |
| Volatile organic compounds  | Law on the incentive<br>(VOCV)<br>Volatile organic comp<br>no VOC duties  | -   |  |
|   | Directive 2010/75/EU<br>emissions (integrated<br>Volatile organic comp  | pollution preventior                              | n and control)   |

## SikaEmaco<sup>®</sup> T 350 SL Part B



Revision Date: 20.11.2024 Date of last issue: 13.11.2024 Version 1.1

Print Date 22.11.2024

#### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

#### **SECTION 16: Other information**

#### Full text of H-Statements

| H301 :<br>H311 :<br>H314 :<br>H317 :<br>H318 :<br>H330 :<br>H400 :<br>H410 :                                  | Toxic if swallowed.<br>Toxic in contact with skin.<br>Causes severe skin burns and eye damage.<br>May cause an allergic skin reaction.<br>Causes serious eye damage.<br>Fatal if inhaled.<br>Very toxic to aquatic life.<br>Very toxic to aquatic life with long lasting effects.   |
|---|---|
| Full text of other abbreviations  |   |
| Acute Tox.:Aquatic Acute:Aquatic Chronic:Eye Dam.:Skin Corr.:Skin Sens.:ADR:CAS:DNEL:EC50:GHS:IATA:IMDG:LD50: | Acute toxicity<br>Short-term (acute) aquatic hazard<br>Long-term (chronic) aquatic hazard<br>Serious eye damage<br>Skin corrosion<br>Skin sensitisation<br>European Agreement concerning the International Carriage of<br>Dangerous Goods by Road<br>Chemical Abstracts Service<br>Derived no-effect level<br>Half maximal effective concentration<br>Globally Harmonized System<br>International Air Transport Association<br>International Maritime Code for Dangerous Goods<br>Median lethal dosis (the amount of a material, given all at<br>once, which causes the death of 50% (one half) of a group of |
| LC50 :  | test animals)<br>Median lethal concentration (concentrations of the chemical in<br>air that kills 50% of the test animals during the observation<br>period)   |
| MARPOL :  | International Convention for the Prevention of Pollution from<br>Ships, 1973 as modified by the Protocol of 1978  |
| OEL :<br>PBT :<br>PNEC :<br>REACH :<br>SVHC :<br>vPvB :   | Occupational Exposure Limit<br>Persistent, bioaccumulative and toxic<br>Predicted no effect concentration<br>Regulation (EC) No 1907/2006 of the European Parliament<br>and of the Council of 18 December 2006 concerning the Reg-<br>istration, Evaluation, Authorisation and Restriction of Chemi-<br>cals (REACH), establishing a European Chemicals Agency<br>Substances of Very High Concern<br>Very persistent and very bioaccumulative   |

#### **Further information**

H317

## SikaEmaco<sup>®</sup> T 350 SL Part B

Revision Date: 20.11.2024 Date of last issue: 13.11.2024

Classification of the mixture:

Classification procedure: Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Version 1.1

Changes as compared to previous version !

NL / EN

Skin Sens. 1



Print Date 22.11.2024