

Version 1.4

Print Date 13.03.2025

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1 Product identifier**

Trade name

: Sika<sup>®</sup> Ucrete<sup>®</sup> PLC Part 2

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Flooring system

#### 1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Nederland B.V.
		Zonnebaan 56
		3542 EG Utrecht
		Nederland
Telephone	:	+31-30-2410120
Telefax	:	+31-30-2414482
E-mail address of person	:	EHS@nl.sika.com
responsible for the SDS		

#### **1.4 Emergency telephone number**

+31-57-0854201

## **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4	H332: Harmful if inhaled.
Skin irritation, Category 2	H315: Causes skin irritation.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Respiratory sensitisation, Category 1	H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Carcinogenicity, Category 2	H351: Suspected of causing cancer.
Specific target organ toxicity - single ex- posure, Category 3, Respiratory system	H335: May cause respiratory irritation.
Specific target organ toxicity - repeated exposure, Category 2	H373: May cause damage to organs through pro- longed or repeated exposure if inhaled.

Sika<sup>®</sup> Ucrete<sup>®</sup> PLC Part 2



Revision Date: 07.03.2025 Date of last issue: 20.02.2025 Version 1.4

Print Date 13.03.2025

#### 2.2 Label elements

No 1272/2008)	!
Danger	
H317 Ma H319 Ca H332 Ha H334 Ma ing H335 Ma H351 Su H373 Ma	uses skin irritation. by cause an allergic skin reaction. uses serious eye irritation. rmful if inhaled. by cause allergy or asthma symptoms or breath- difficulties if inhaled. by cause respiratory irritation. spected of causing cancer. by cause damage to organs through prolonged repeated exposure if inhaled.
<b>Prevention:</b> P201 P260 P264 P280 <b>Response:</b> P304 + P340 + P342 + P311	Obtain special instructions before use. Do not breathe mist or vapours. Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection. P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell. If experiencing respiratory symptoms: Call a
	H315 Ca H317 Ma H319 Ca H32 Ha H332 Ha H334 Ma ing H335 Ma H351 Su H373 Ma or Prevention: P201 P260 P264 P280 Response: P304 + P340 +

#### Hazardous components which must be listed on the label:

Diphenylmethanediisocyanate, isomeres and homologues 4,4'-methylenediphenyl diisocyanate

## **Additional Labelling**

"As from 24 August 2023 adequate training is required before industrial or professional use."

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



Version 1.4

Print Date 13.03.2025

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.


## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
Diphenylmethanediisocyanate, isomeres and homologues	9016-87-9 Not Assigned	Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H334 Skin Sens. 1; H317 Carc. 2; H351 STOT SE 3; H335 (Respiratory system) STOT RE 2; H373 specific concentration limit Eye Irrit. 2; H319 >= 5 % specific concentration limit Resp. Sens. 1; H334 >= 0,1 % specific concentration limit Skin Irrit. 2; H315 >= 5 % specific concentration limit StoT SE 3; H335 >= 5 %	>= 60 - < 80

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Sika<sup>®</sup> Ucrete<sup>®</sup> PLC Part 2



Version 1.4



Print Date 13.03.2025

e of last issue: 20.02.2025			
4,4'-methylenediphenyl diisocya- nate	101-68-8 202-966-0 01-2119457014-47- XXXX	Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H334 Skin Sens. 1; H317 Carc. 2; H351 STOT SE 3; H335 (Respiratory system) STOT RE 2; H373 $\longrightarrow$ specific concentration limit Eye Irrit. 2; H319 >= 5 %	>= 40 - < 60
		specific concentration limit STOT SE 3; H335 >= 5 %	
		specific concentration limit Skin Irrit. 2; H315 >= 5 %	
		specific concentration limit Resp. Sens. 1; H334 >= 0,1 %	
		Acute toxicity esti- mate	
For any logation of all how intigers a		Acute inhalation tox- icity (dust/mist): 1,5 mg/l	

For explanation of abbreviations see section 16.

:

## **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

General advice

Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# Sika<sup>®</sup> Ucrete<sup>®</sup> PLC Part 2



Revision Date: 07.03.2025 Date of last issue: 20.02.2025		Version 1.4	Print Date 13.03.202
If inhaled		Move to fresh air. Consult a physician after significant expo	osure.
In case of skin contact		Take off contaminated clothing and shoe Wash off with soap and plenty of water. If symptoms persist, call a physician.	s immediately.
In case of eye contact		Immediately flush eye(s) with plenty of w Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a special	
If swallowed		Do not induce vomiting without medical a Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unco	
4.2 Most important symptoms	and ef	fects, both acute and delayed	
Symptoms		Asthmatic appearance Cough Respiratory disorder Allergic reactions Excessive lachrymation Erythema Headache Dermatitis See Section 11 for more detailed informa and symptoms.	ation on health effects
Risks		irritant effects sensitising effects	
		Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful if inhaled. May cause allergy or asthma symptoms ties if inhaled. May cause respiratory irritation. Suspected of causing cancer. May cause damage to organs through pr exposure if inhaled.	-
4.3 Indication of any immediat	e med	ical attention and special treatment ne	eded
Treatment		Treat symptomatically.	



Print Date 13.03.2025

Revision Date: 07.03.2025	Version 1.4
Date of last issue: 20.02.2025	

# SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.
------------------------------	---	--

#### 5.2 Special hazards arising from the substance or mixture

Hazardous combustion prod- :	No hazardous combustion products are known
ucts	

#### 5.3 Advice for firefighters

Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
Further information	:	Standard procedure for chemical fires.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures Personal precautions Use personal protective equipment. : Deny access to unprotected persons. **6.2 Environmental precautions Environmental precautions** Do not flush into surface water or sanitary sewer system. 5 If the product contaminates rivers and lakes or drains inform respective authorities. 6.3 Methods and material for containment and cleaning up Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For personal protection see section 8.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Advice on safe handling	:	Avoid formation of aerosol.
		Avoid exceeding the given occupational exposure limits (see
		section 8).
		Do not get in eyes, on skin, or on clothing.
		For personal protection see section 8.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sika<sup>®</sup> Ucrete<sup>®</sup> PLC Part 2



Revision Date: 07.03.2025 Date of last issue: 20.02.2025		Version 1.4	Print Date 13.03.2025
		Persons with a history of skin sensitisation pr ma, allergies, chronic or recurrent respiratory not be employed in any process in which this used. Smoking, eating and drinking should be prohi plication area. Provide sufficient air exchange and/or exhaus Follow standard hygiene measures when har products	disease should mixture is being ibited in the ap- st in work rooms.
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection	'n.
Hygiene measures	:	Handle in accordance with good industrial hypractice. When using do not eat or drink. When smoke. Wash hands before breaks and at the	en using do not
7.2 Conditions for safe storage, in	ncl	uding any incompatibilities	
Requirements for storage areas and containers	:	Keep container tightly closed in a dry and we place. Containers which are opened must be sealed and kept upright to prevent leakage. S ance with local regulations.	carefully re-
Further information on stor- age stability	:	No decomposition if stored and applied as dir	ected.
7.3 Specific end use(s)			
Specific use(s)	:	Cleaning with aprotic polar solvents must be Consult most current local Product Data Shee use.	

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

### Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parame-	Basis *	
		of exposure)	ters *		
Diphenylmethanediisocyanate, isomeres	9016-87-9	AGW (Inhalable	0,05 mg/m3	DE TRGS 900	
and homologues		fraction)	(MDI)		
	Further information: Senate commission for the review of com-				
	pounds at the work place dangerous for the health has also estab-				
	lished a BEI-value for the same OEL value in the 'MAK- and BAT-				
	value list'				



Version 1.4

Print Date 13.03.2025

\*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

#### 8.2 Exposure controls

#### Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipme	nt	
Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications. Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.
Skin and body protection	:	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionally recommended for mixing and stirring work.
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. Use a properly fitted NIOSH approved air-purifying or air-fed respirator complying with an approved standard if a risk as- sessment indicates this is necessary. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used. Ensure adequate ventilation, especially in confined areas.

#### **Environmental exposure controls**

General advice	: Do not flush into surface water or sanitary sewer system.
	If the product contaminates rivers and lakes or drains inform
	respective authorities.



Version 1.4

Print Date 13.03.2025

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

1 Information on basic physical and chemical properties						
Physical state	:	liquid				
Colour	:	brown				
Odour	:	musty				
Melting point/ range / Freez- ing point	:	No data available				
Boiling point/boiling range	:	No data available				
Flammability (solid, gas)	:	No data available				
Upper/lower flammability or	ovn	losive limits				
Upper explosion limit / Upper flammability limit	•					
Lower explosion limit / Lower flammability limit	:	No data available				
Flash point	:	> 200 °C Method: closed cup				
Auto-ignition temperature	:	No data available				
Decomposition temperature	:	No data available				
рН	:	substance/mixture reacts with water				
Viscosity						
Viscosity, dynamic	:	89 mPa.s				
Viscosity, kinematic	:	No data available				
<b>Solubility(ies)</b> Water solubility	:	No data available				

: No data available

Partition coefficient: n-



Revision Date: 07.03.2025 Date of last issue: 20.02.2025	Version 1.4	Print Date 13.03.2025
octanol/water		
Vapour pressure	: 0,01 hPa	
Density	1,23 g/cm3 (20 °C)	
Relative vapour density	No data available	
Particle characteristics	No data available	
9.2 Other information		
No data available		
SECTION 10: Stability and react	livity	
10.1 Reactivity		
No dangerous reaction known u	nder conditions of normal use.	
10.2 Chemical stability		
The product is chemically stable		
10.3 Possibility of hazardous react	ions	
Hazardous reactions	No hazards to be specially mentioned.	
10.4 Conditions to avoid		
Conditions to avoid	No data available	
10.5 Incompatible materials		
Materials to avoid	No data available	
10.6 Hazardous decomposition pro	oducts	
	: No hazardous decomposition products are know	wn.

## **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Harmful if inhaled.

# Sika<sup>®</sup> Ucrete<sup>®</sup> PLC Part 2



Revision Date: 07.03.2025 Version 1.4 Print Date 13.03.2025 Date of last issue: 20.02.2025 **Components:** Diphenylmethanediisocyanate, isomeres and homologues: Acute oral toxicity : LD50 Oral (Rat): > 10.000 mg/kg Acute inhalation toxicity : LC50: 1,5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Expert judgement Assessment: The component/mixture is moderately toxic after short term inhalation. Acute dermal toxicity LD50 Dermal (Rabbit): > 9.400 mg/kg 5 4,4'-methylenediphenyl diisocyanate: Acute oral toxicity : LD50 Oral (Rat): > 5.000 mg/kg Method: OECD Test Guideline 401 Acute inhalation toxicity : LC50: 1,5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Expert judgement Acute toxicity estimate: 1,5 mg/l Test atmosphere: dust/mist Method: Calculation method Skin corrosion/irritation Causes skin irritation. Serious eye damage/eye irritation Causes serious eye irritation. Respiratory or skin sensitisation Skin sensitisation May cause an allergic skin reaction. **Respiratory sensitisation** May cause allergy or asthma symptoms or breathing difficulties if inhaled. Germ cell mutagenicity Not classified due to lack of data. Carcinogenicity Suspected of causing cancer. **Reproductive toxicity** Not classified due to lack of data. STOT - single exposure May cause respiratory irritation.

# Sika<sup>®</sup> Ucrete<sup>®</sup> PLC Part 2



Revision Date: 07.03.2025 Date of last issue: 20.02.2025 Version 1.4

Print Date 13.03.2025

#### STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure if inhaled.

#### Aspiration toxicity

Not classified due to lack of data.

#### 11.2 Information on other hazards

#### Endocrine disrupting properties

Not classified due to lack of data.

#### Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

#### Components:

## Diphenylmethanediisocyanate, isomeres and homologues:

1

Toxicity to fish	:	LC50 (Brachydanio rerio (zebrafish)): > 1.000 mg/l Exposure time: 96 h
Toxicity to algae/aquatic plants	:	EC50 (Desmodesmus subspicatus (green algae)): > 1.640 mg/l Exposure time: 72 h

#### 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..



Revision Date: 07.03.2025	Version 1.4	Print Date 13.03.2025
Date of last issue: 20.02.2025		

## 12.6 Endocrine disrupting properties

#### Product:

Asse

essment	:	The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### 12.7 Other adverse effects

#### Product:

Additional ecological infor-	:	There is no data available for this product.
mation		

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product	<ul> <li>The generation of waste should be avoided or minimized wherever possible.</li> <li>Empty containers or liners may retain some product residues.</li> <li>This material and its container must be disposed of in a safe way.</li> <li>Dispose of surplus and non-recyclable products via a licensed</li> </ul>
	waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

## **SECTION 14: Transport information**

## 14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

## Sika<sup>®</sup> Ucrete<sup>®</sup> PLC Part 2



Revision Date: 07.03.2025 Date of last issue: 20.02.2025	Version 1.4	Print Date 13.03.2025
ADR	: Not regulated as a dangerous good	
IMDG	: Not regulated as a dangerous good	
ΙΑΤΑ	: Not regulated as a dangerous good	
14.4 Packing group		
ADR	: Not regulated as a dangerous good	
IMDG	: Not regulated as a dangerous good	
IATA (Cargo)	: Not regulated as a dangerous good	
IATA (Passenger)	: Not regulated as a dangerous good	
14.5 Environmental hazards Not regulated as a danger	ous good	
<b>14.6 Special precautions for u</b> Not applicable	user	
<b>14.7 Maritime transport in bul</b> Not applicable for product a	Ik according to IMO instruments as supplied.	

## **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) : Not applicable Schedules of Toxic Chemicals and Precursors

**REACH** Information:

- All substances contained in our Products are
- registered by our upstream suppliers, and/or
- registered by us, and/or
- excluded from the regulation, and/or
- exempted from the registration.

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered: Number on list 3

Number on list 56: Diphenylmethanediisocyanate, isomeres and homologues, 4,4'methylenediphenyl diisocyanate

Number on list 74: Diphenylmethanediisocyanate, isomeres and homologues, 4,4'methylenediphenyl diisocyanate

Number on list 75

## SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# Sika<sup>®</sup> Ucrete<sup>®</sup> PLC Part 2

\_



Revision Date: 07.03.2025 Date of last issue: 20.02.2025	Version 1.4	Р	rint Date 13.03.2025			
REACH - Candidate List of Substa Concern for Authorisation (Article		None of the components (=> 0.1 %).	are listed			
REACH - List of substances subje (Annex XIV)	ect to authorisation :	Not applicable				
Regulation (EU) No 2024/590 on splete the ozone layer	substances that de- :	Not applicable				
Regulation (EU) 2019/1021 on pe tants (recast)	rsistent organic pollu- :	Not applicable				
Regulation (EU) No 649/2012 of the ment and the Council concerning of dangerous chemicals		Not applicable				
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of ma- jor-accident hazards involving dangerous substances. Not applicable						
Volatile organic compounds :	Law on the incentive tax f (VOCV) no VOC duties	or volatile organic compou	nds			
Directive 2010/75/EU of 24 November 2010 on industrial and livestock rearing emissions (integrated pollution prevention and control) Not applicable						

#### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

### **SECTION 16: Other information**

#### **Full text of H-Statements**

H315	: Causes skin irritation.
H317	: May cause an allergic skin reaction.
H319	: Causes serious eye irritation.
H332	: Harmful if inhaled.
H334	<ul> <li>May cause allergy or asthma symptoms or breathing difficul- ties if inhaled.</li> </ul>
H335	: May cause respiratory irritation.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# Sika<sup>®</sup> Ucrete<sup>®</sup> PLC Part 2



Revision Date: 07.03.2025 Date of last issue: 20.02.2025		Version 1.4	Print Date 13.03.2025				
H351 H373	:	Suspected of causing cancer. May cause damage to organs through prolong exposure if inhaled.	ed or repeated				
Full text of other abbreviations							
Acute Tox.	:	Acute toxicity					
Carc.	:	Carcinogenicity					
Eye Irrit.	:	Eye irritation					
Resp. Sens.	:	Respiratory sensitisation					
Skin Irrit.	:	Skin irritation					
Skin Sens.	:	Skin sensitisation					
STOT RE	:	Specific target organ toxicity - repeated exposu	Jre				
STOT SE	:	Specific target organ toxicity - single exposure					
DE TRGS 900	:	Germany. TRGS 900 - Occupational exposure	limit values.				
DE TRGS 900 / AGW	:	Time Weighted Average					
ADR	:	European Agreement concerning the Internation	onal Carriage of				
		Dangerous Goods by Road					
CAS	:	Chemical Abstracts Service					
DNEL	:	Derived no-effect level					
EC50	:	Half maximal effective concentration					
GHS	:	Globally Harmonized System					
ΙΑΤΑ	:	International Air Transport Association					
IMDG	:	International Maritime Code for Dangerous Go					
LD50	:	Median lethal dosis (the amount of a material, once, which causes the death of 50% (one hal- test animals)					
LC50	:	Median lethal concentration (concentrations of air that kills 50% of the test animals during the period)					
MARPOL	:	International Convention for the Prevention of Ships, 1973 as modified by the Protocol of 197					
OEL	:	Occupational Exposure Limit					
PBT	:	Persistent, bioaccumulative and toxic					
PNEC	:	Predicted no effect concentration					
REACH	:	Regulation (EC) No 1907/2006 of the Europea and of the Council of 18 December 2006 conce istration, Evaluation, Authorisation and Restric cals (REACH), establishing a European Chem	erning the Reg- tion of Chemi-				
SVHC	:	Substances of Very High Concern	5 ,				
vPvB	:	Very persistent and very bioaccumulative					

## **Further information**

Classification of the	Classification procedure:	
Acute Tox. 4	H332	Calculation method
Skin Irrit. 2	H315	Calculation method
Eye Irrit. 2	H319	Calculation method
Resp. Sens. 1	H334	Calculation method
Skin Sens. 1	H317	Calculation method

## SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 Sika® Ucrete® PLC Part 2



Revision Date: 07.03.2025 Date of last issue: 20.02.2025		Print Date 13.03.2025
H351	Calculation method	
H335	Calculation method	
H373	Calculation method	
	H335	H335 Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

NL / EN