

Version 8.2

Print Date 31.10.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Pulastic[®] GM 2000 Part B

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use

: Flooring system, For professional users only.

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Nederland B.V.
		Zonnebaan 56
		3542 EG Utrecht
		Nederland
Telephone	:	+31-30-2410120
Telefax	:	+31-30-2414482
E-mail address of person	:	EHS@nl.sika.com
responsible for the SDS		

1.4 Emergency telephone number

+31-57-0854201

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4	H332: Harmful if inhaled.
Skin irritation, Category 2	H315: Causes skin irritation.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Respiratory sensitisation, Category 1	H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Carcinogenicity, Category 2	H351: Suspected of causing cancer.
Specific target organ toxicity - single ex- posure, Category 3, Respiratory system	H335: May cause respiratory irritation.
Specific target organ toxicity - repeated exposure, Category 2	H373: May cause damage to organs through pro- longed or repeated exposure.

Pulastic[®] GM 2000 Part B

Labelling (REGULATION (EC) No 1272/2008)

Revision Date: 25.10.2024 Date of last issue: 28.06.2024

I lamanal is late surgers a

2.2 Label elements

Hazard pictograms :	
Signal word :	Danger
Hazard statements :	 H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H332 Harmful if inhaled. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H335 May cause respiratory irritation. H351 Suspected of causing cancer. H373 May cause damage to organs through prolonged or repeated exposure.
Precautionary statements :	Prevention:P201Obtain special instructions before use.P260Do not breathe mist or vapours.P264Wash skin thoroughly after handling.P280Wear protective gloves/ protective clothing/ eye protection/ face protection.Response:
	 P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell. P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER/ doctor.

Version 8.2

Hazardous components which must be listed on the label:

4,4`-Methylenediphenyl diisocyanate, oligomers aromatic isocyanate-prepolymer

Additional Labelling

"As from 24 August 2023 adequate training is required before industrial or professional use."

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



Print Date 31.10.2024



Version 8.2

Print Date 31.10.2024

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components			
Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
4,4`-Methylenediphenyl diisocya- nate, oligomers	25686-28-6 500-040-3 01-2119457013-49- XXXX	Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Resp. Sens. 1; H334 Skin Sens. 1; H317 Carc. 2; H351 STOT SE 3; H335 (Respiratory system) STOT RE 2; H373 Acute toxicity esti- mate Acute inhalation tox- icity (dust/mist): 1,5 mg/l	>= 60 - < 80
aromatic isocyanate-prepolymer	9048-57-1 Not Assigned	Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H315 Resp. Sens. 1; H334 Skin Sens. 1; H317 STOT SE 3; H335 (Respiratory system) STOT RE 2; H373 Acute toxicity esti- mate Acute inhalation tox- icity (dust/mist): 1,5 mg/l	>= 25 - < 40

For explanation of abbreviations see section 16.



Version 8.2

Print Date 31.10.2024

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	: Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	: Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	 Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	 Immediately flush eye(s) with plenty of water. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	 Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2 Most important symptoms and	l effects, both acute and delayed
Symptoms	: Asthmatic appearance Cough Respiratory disorder Allergic reactions Excessive lachrymation Erythema Headache Dermatitis See Section 11 for more detailed information on health effects and symptoms.
Risks	 irritant effects sensitising effects Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful if inhaled. May cause allergy or asthma symptoms or breathing difficul- ties if inhaled. May cause respiratory irritation. Suspected of causing cancer. May cause damage to organs through prolonged or repeated exposure.

Pulastic[®] GM 2000 Part B



Revision Date: 25.10.2024 Date of last issue: 28.06.2024		Version 8.2	Print Date 31.10.2024
•	me	dical attention and special treatment needed	
Treatment	:	Treat symptomatically.	
SECTION 5: Firefighting meas	sur	es	
5.1 Extinguishing media			
Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/ ide/sand/foam/alcohol resistant foam/chemical extinction.	
5.2 Special hazards arising from	the	e substance or mixture	
Hazardous combustion prod- ucts	:	No hazardous combustion products are known	
5.3 Advice for firefighters			
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathin	ng apparatus.
Further information	:	Standard procedure for chemical fires.	
SECTION 6: Accidental releas	se i	measures	
6.1 Personal precautions, protect	tiv	e equipment and emergency procedures	
Personal precautions	:	Use personal protective equipment. Deny access to unprotected persons.	
6.2 Environmental precautions			
Environmental precautions	:	Do not flush into surface water or sanitary sewe If the product contaminates rivers and lakes or respective authorities.	
6.3 Methods and material for cor	ntai		
6.3 Methods and material for cor Methods for cleaning up	ntai :		-
	ntai :	nment and cleaning up Soak up with inert absorbent material (e.g. san acid binder, universal binder, sawdust).	-

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid formation of aerosol.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Pulastic[®] GM 2000 Part B



Revision Date: 25.10.2024 Version 8.2 Print Date 31.10.2024 Date of last issue: 28.06.2024 Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Provide sufficient air exchange and/or exhaust in work rooms. Follow standard hygiene measures when handling chemical products Advice on protection against Normal measures for preventive fire protection. fire and explosion Hygiene measures Handle in accordance with good industrial hygiene and safety : practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday. 7.2 Conditions for safe storage, including any incompatibilities Requirements for storage Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully reareas and containers sealed and kept upright to prevent leakage. Store in accordance with local regulations. Further information on stor-No decomposition if stored and applied as directed. age stability 7.3 Specific end use(s) Specific use(s) Cleaning with aprotic polar solvents must be avoided. Consult most current local Product Data Sheet prior to any

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
Contains no substances with occupational exposure limit values				

Contains no substances with occupational exposure limit values.

use.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Pulastic[®] GM 2000 Part B



Revision Date: 25.10.2024 Version 8.2 Print Date 31.10.2024 Date of last issue: 28.06.2024 Personal protective equipment Eye/face protection Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water Hand protection : Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications. Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min. Skin and body protection Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work. Respiratory protection In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. Use a properly fitted NIOSH approved air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. organic vapor filter (Type A) A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Methods for determining inhalation exposure). This applies in particular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used. Ensure adequate ventilation, especially in confined areas. **Environmental exposure controls**

General advice : Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Colour	:	yellow

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Pulastic[®] GM 2000 Part B



Revision Date: 25.10.2024 Date of last issue: 28.06.2024	Version 8.2	Print Date 31.10.2024
Odour	: slight	
Melting point/ range / Freez- ing point	: No data available	
Boiling point/boiling range	: No data available	
Flammability (solid, gas)	: No data available	
Upper/lower flammability or Upper explosion limit / Up- per flammability limit	-	
Lower explosion limit / Lower flammability limit	: No data available	
Flash point	: 195 °C Method: closed cup	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
рН	: Not applicable substance/mixture reacts with water	
Viscosity Viscosity, kinematic	: > 7 mm2/s (40 °C)	
Solubility(ies) Water solubility	: insoluble	
Partition coefficient: n- octanol/water	: No data available	
Vapour pressure	: 0,01 hPa	
Density	: ca. 1,21 g/cm3 (20 °C)	
Relative vapour density	: No data available	

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 Pulastic[®] GM 2000 Part B



Print Date 31.10.2024

Particle characteristics	: No data available	
9.2 Other information		
No data available		
SECTION 10: Stability and r	reactivity	
10.1 Reactivity		
No dangerous reaction know	wn under conditions of normal use.	
10.2 Chemical stability		
The product is chemically s	stable.	
10.3 Possibility of hazardous	reactions	
Hazardous reactions	: No hazards to be specially mentioned.	
10.4 Conditions to avoid		
Conditions to avoid	: No data available	
10.5 Incompatible materials		
Materials to avoid	: No data available	
10.6 Hazardous decomposition	n products	
No decomposition if stored	and applied as directed.	
SECTION 11: Toxicological	information	
11.1 Information on hazard cla	asses as defined in Regulation (EC) No 1272/2008	

Version 8.2

Acute toxicity

Revision Date: 25.10.2024

Date of last issue: 28.06.2024

Harmful if inhaled.

Components:

4,4`-Methylenediphenyl diisocyanate, oligomers:

Acute oral toxicity	:	LD50 Oral (Rat): > 5.000 mg/kg
Acute inhalation toxicity	:	LC50: 1,5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Expert judgement
		Acute toxicity estimate: 1,5 mg/l Test atmosphere: dust/mist Method: Calculation method

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Pulastic[®] GM 2000 Part B



evision Date: 25.10.2024 ate of last issue: 28.06.2024	Version 8.2	Print Date 31.10.20
Acute dermal toxicity	: LD50 Dermal (Rabbit): > 9.400 mg/kg	
aromatic isocyanate-prep	lymer:	
Acute inhalation toxicity	: LC50: 1,5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Expert judgement	
	Acute toxicity estimate: 1,5 mg/l Test atmosphere: dust/mist Method: Calculation method	
Acute dermal toxicity	: LD50 Dermal (Rabbit): > 9.400 mg/kg	
Skin corrosion/irritation Causes skin irritation.		
Serious eye damage/eye in Causes serious eye irritation		
Respiratory or skin sensit	sation	
Skin sensitisation May cause an allergic skin r	eaction.	
Respiratory sensitisation May cause allergy or asthm	symptoms or breathing difficulties if inhaled.	
Germ cell mutagenicity Not classified based on ava	able information.	
Carcinogenicity Suspected of causing cance	- <u>.</u>	
Reproductive toxicity Not classified based on ava	able information.	
STOT - single exposure May cause respiratory irritat	on.	
STOT - repeated exposure May cause damage to organ	s through prolonged or repeated exposure.	
Aspiration toxicity Not classified based on ava	able information.	
I.2 Information on other haza	ds	
Endocrine disrupting prop	erties	
Product:		
Assessment	: The substance/mixture does not contain ered to have endocrine disrupting proper	rties according to
Country NL 000000214439	REACH Article 57(f) or Commission Dele	egated regulation 10 / 15

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 Pulastic[®] GM 2000 Part B



Revision Date: 25.10.2024 Date of last issue: 28.06.2024 Version 8.2

Print Date 31.10.2024

(EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

aromatic isocyanate-prepolymer:

Toxicity to fish

: LC50 (Danio rerio (zebra fish)): > 1.000 mg/l Exposure time: 96 h

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment	: The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-	:	There is no data available for this product.
mation		



Version 8.2

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	 The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. 	
European Waste Catalogue	: 08 05 01* waste isocyanates	
Contaminated packaging	15 01 10* packaging containing residues of or contaminated by dangerous substances	

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA (Cargo)	:	Not regulated as a dangerous good
Country NI 00000021///30		

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 Pulastic[®] GM 2000 Part B



Revision Date: 25.10.2024 Date of last issue: 28.06.2024	Version	8.2		Print Date 31.10.2024
IATA (Passenger)	: Not regulated as a da	nger	ous good	
14.5 Environmental hazards Not regulated as a dangerous	good			
14.6 Special precautions for user Not applicable				
14.7 Maritime transport in bulk a Not applicable for product as s	•	ents		
SECTION 15: Regulatory infor	mation			
15.1 Safety, health and environm	ental regulations/legisla	tion	specific for the subs	tance or mixture
International Chemical Weapo Schedules of Toxic Chemicals		:	Not applicable	
REACH Information:	All substances contair - registered by our up - registered by us, and - excluded from the re - exempted from the r	strea d/or gula	im suppliers, and/or tion, and/or	
REACH - Restrictions on the n the market and use of certain mixtures and articles (Annex X	dangerous substances,	:	Conditions of restricti lowing entries should Number on list 3	
			Banned and/or restric	oted
REACH - Candidate List of Su Concern for Authorisation (Arti	, .	:	None of the compone (=> 0.1 %).	ents are listed
REACH - List of substances so (Annex XIV)	ubject to authorisation	:	Not applicable	
Regulation (EC) on substance layer	s that deplete the ozone	:	Not applicable	
Regulation (EU) 2019/1021 or tants (recast)	persistent organic pollu-	:	Not applicable	
Regulation (EU) No 649/2012 ment and the Council concern		:	Not applicable	



Version 8.2

Print Date 31.10.2024

of dangerous chemicals

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable

Volatile organic compounds	:	Law on the incentive tax for volatile organic compounds (VOCV) no VOC duties		
		Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Not applicable		

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements		
H315	:	Causes skin irritation.
H317	:	May cause an allergic skin reaction.
H319	:	Causes serious eye irritation.
H332	:	Harmful if inhaled.
H334	:	May cause allergy or asthma symptoms or breathing difficul- ties if inhaled.
H335	:	May cause respiratory irritation.
H351	:	Suspected of causing cancer.
H373	:	May cause damage to organs through prolonged or repeated exposure.
H373	:	May cause damage to organs through prolonged or repeated exposure if inhaled.
Full text of other abbreviat	ions	
Acute Tox.	:	Acute toxicity
Carc.	:	Carcinogenicity
Eye Irrit.	:	Eye irritation
Resp. Sens.	:	Respiratory sensitisation
Skin Irrit.	:	Skin irritation
Skin Sens.	:	Skin sensitisation
STOT RE	:	Specific target organ toxicity - repeated exposure
STOT SE	:	Specific target organ toxicity - single exposure
ADR	:	European Agreement concerning the International Carriage of
		Dangerous Goods by Road
CAS	:	Chemical Abstracts Service
DNEL	:	Derived no-effect level
EC50	:	Half maximal effective concentration
GHS	:	Globally Harmonized System
ΙΑΤΑ	:	International Air Transport Association
ountry NL_00000214439		14 / 1

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Pulastic[®] GM 2000 Part B



Revision Date: 25.10.2024 Date of last issue: 28.06.2024		Version 8.2	Print Date 31.10.2024
IMDG	:	International Maritime Code for Dangerous	Goods
LD50	:	Median lethal dosis (the amount of a materi	al, given all at
		once, which causes the death of 50% (one test animals)	half) of a group of
LC50	:	Median lethal concentration (concentrations	s of the chemical in
		air that kills 50% of the test animals during to period)	
MARPOL	:	International Convention for the Prevention	of Pollution from
		Ships, 1973 as modified by the Protocol of	1978
OEL	:	Occupational Exposure Limit	
PBT	:	Persistent, bioaccumulative and toxic	
PNEC	:	Predicted no effect concentration	
REACH	:	Regulation (EC) No 1907/2006 of the Europ	bean Parliament
		and of the Council of 18 December 2006 co	oncerning the Reg-
		istration, Evaluation, Authorisation and Res cals (REACH), establishing a European Ch	triction of Chemi-
SVHC	:	Substances of Very High Concern	<u> </u>
vPvB	:	Very persistent and very bioaccumulative	
		-	

Further information

Classification of the	Classification procedure:	
Acute Tox. 4	H332	Calculation method
Skin Irrit. 2	H315	Calculation method
Eye Irrit. 2	H319	Calculation method
Resp. Sens. 1	H334	Calculation method
Skin Sens. 1	H317	Calculation method
Carc. 2	H351	Calculation method
STOT SE 3	H335	Calculation method
STOT RE 2	H373	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

NL / EN