

Revision Date: 10.11.2024 Date of last issue: 18.05.2024 Version 1.2

Print Date 11.11.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Sikagard®-8500 CI

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Special coating

1.3 Details of the supplier of the safety data sheet

:	Sika Nederland B.V.
	Zonnebaan 56
	3542 EG Utrecht
	Nederland
:	+31-30-2410120
:	+31-30-2414482
:	EHS@nl.sika.com
	:

1.4 Emergency telephone number

+31-57-0854201

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2	H315: Causes skin irritation.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.

2.2 Label elements

Labelling (REGULATION (EC)	No 1272/200	8)
Hazard pictograms	:		
Signal word	:	Warning	
Hazard statements	:	H315 H317	Causes skin irritation. May cause an allergic skin reaction.
Precautionary statements	:	Prevention	:

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikagard®-8500 CI



Revision Date: 10.11.2024 Date of last issue: 18.05.2024	V	Print Date 11.11.2024	
	P261 P264 P280	Avoid breathing mist or vapours Wash skin thoroughly after han Wear protective gloves.	
	Response:		
	P333 + P313	If skin irritation or rash occurs: advice/ attention.	Get medical
	P362 + P364	Take off contaminated clothing before reuse.	and wash it
	Disposal:		
	P501	Dispose of contents/container in with local regulation.	n accordance

Hazardous components which must be listed on the label:

triisobutyl phosphate

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

oomponenta			
Chemical name	CAS-No. EC-No.	Classification	Concentration (% w/w)
	Registration number		
triethoxyoctylsilane	2943-75-1	Skin Irrit. 2; H315	>= 60 - < 80
	220-941-2		
	01-2119972313-39-		
	XXXX		
triethoxyisobutylsilane	17980-47-1	Skin Irrit. 2; H315	>= 10 - < 20
	402-810-3		
	01-0000015254-76-		
	XXXX		
triisobutyl phosphate	126-71-6	Skin Sens. 1B; H317	>= 1 - < 2,5
	204-798-3		
	01-2119957118-32-		
	XXXX		

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikagard®-8500 CI



		Print Date 11.11.2024	
	625-50-3 210-896-7	Acute Tox. 4; H302	>= 1 - < 2,5
For explanation of abbreviations see	e section 16.	I	

Gene	eral advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
lf inh	aled	:	Move to fresh air. Consult a physician after significant exposure.
In ca	se of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In ca	se of eye contact	:	Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If sw	allowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2 Most	important symptoms an	nd e	ffects, both acute and delayed
Sym	ptoms	:	Allergic reactions Erythema Dermatitis See Section 11 for more detailed information on health effects and symptoms.
Risks	5	:	Causes skin irritation. May cause an allergic skin reaction.
			irritant effects sensitising effects
4.3 Indica	ation of any immediate r	nec	lical attention and special treatment needed
Trea	tment	:	Treat symptomatically.



Print Date 11.11.2024

Revision Date: 10.11.2024Version 1.2Date of last issue: 18.05.2024

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/carbon diox-
		ide/sand/foam/alcohol resistant foam/chemical powder for extinction.

5.2 Special hazards arising from the substance or mixture

	:	No hazardous combustion products are known
ucts		

5.3 Advice for firefighters

Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
Further information	:	Standard procedure for chemical fires.

SECTION 6: Accidental release measures

• • •	ve equipment and emergency procedures Use personal protective equipment. Deny access to unprotected persons.
6.2 Environmental precautions	
Environmental precautions :	Do not flush into surface water or sanitary sewer system.
6.3 Methods and material for conta	ainment and cleaning up
Methods for cleaning up :	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.
6.4 Reference to other sections	
For personal protection see sect	tion 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	 Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikagard[®]-8500 CI



Revision Date: 10.11.2024 Version 1.2 Print Date 11.11.2024 Date of last issue: 18.05.2024 used. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products Advice on protection against Normal measures for preventive fire protection. 1 fire and explosion Hygiene measures Handle in accordance with good industrial hygiene and safety : practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday. 7.2 Conditions for safe storage, including any incompatibilities Requirements for storage Keep container tightly closed in a dry and well-ventilated areas and containers place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with local regulations. Further information on stor-• No decomposition if stored and applied as directed. age stability 7.3 Specific end use(s) Specific use(s) Consult most current local Product Data Sheet prior to any use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *	

Contains no substances with occupational exposure limit values.

Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form	Control parame-	Basis *
		of exposure)	ters *	
ethanol	64-17-5	TLV-8hr	137 ppm	NL WG
			260 mg/m3	
	Further informa	ation: Carcinogenic	substances, Skin	notation
		TLV-15 min	1.000 ppm	NL WG
			1.900 mg/m3	

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Sikagard[®]-8500 CI

Revision Date: 10.11.2024	
Date of last issue: 18.05.2024	

Version 1.2

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment						
Eye/face protection :	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water					
Hand protection :	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.					
	Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (> 0,1 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.					
Skin and body protection :	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.					
Respiratory protection :	No special measures required.					
Environmental exposure controls						
General advice	Do not flush into surface water or sanitary sewer system.					

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Colour	:	liquid colourless
Odour	:	solvent-like
Melting point/ range / Freez- ing point	:	No data available
Boiling point/boiling range	:	No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikagard®-8500 CI



Revision Date: 10.11.2024 Date of last issue: 18.05.2024	Version 1.2	Print Date 11.11.2024
Flammability (solid, gas)	: No data available	
Upper/lower flammability or Upper explosion limit / Up-	-	
per flammability limit	: No data available	
Lower explosion limit / Lower flammability limit		
Flash point	: > 61 °C Method: closed cup	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
рН	: Not applicable substance/mixture is non-soluble (in water)	
Viscosity		
Viscosity, dynamic	: Not applicable	
Viscosity, kinematic	: No data available	
Solubility(ies)		
Water solubility	: insoluble	
Partition coefficient: n- octanol/water	: No data available	
Vapour pressure	: 0,1 hPa	
Density	: ca. 0,88 g/cm3 (20 °C)	
Relative vapour density	: No data available	
Particle characteristics	: No data available	

No data available

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 Sikagard®-8500 CI



Revision Date: 10.11.2024 Date of last issue: 18.05.2024 Version 1.2

Print Date 11.11.2024

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

Hazardous decomposition : ethanol products

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Not classified due to lack of data.

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified due to lack of data.

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Not classified due to lack of data.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikagard[®]-8500 CI

Jika®

Revision Date: 10.11.2024 Date of last issue: 18.05.2024 Version 1.2

Print Date 11.11.2024

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

Not classified due to lack of data.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

triisobutyl phosphate:

Toxicity to daphnia and other aquatic invertebrates	:	LC50 (Daphnia magna (Water flea)): 11 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	IC50 (Desmodesmus subspicatus (green algae)): 34,1 mg/l Exposure time: 72 h

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikagard[®]-8500 CI



Revision Date: 10.11.2024 Date of last issue: 18.05.2024 Version 1.2

Print Date 11.11.2024

0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment	:	The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-	:	There is no data available for this product.
mation		

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product: The generation of waste should be avoided or minimized
wherever possible.
Empty containers or liners may retain some product residues.
This material and its container must be disposed of in a safe
way.
Dispose of surplus and non-recyclable products via a licensed
waste disposal contractor.
Disposal of this product, solutions and any by-products should
at all times comply with the requirements of environmental
protection and waste disposal legislation and any regional
local authority requirements.
Avoid dispersal of spilled material and runoff and contact with
soil, waterways, drains and sewers.

SECTION 14: Transport information

14.1 UN number or ID number		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADR	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikagard®-8500 CI



Revision Date: 10.11.2024 Date of last issue: 18.05.2024	Version 1.2	Print Date 11.11.2024
ΙΑΤΑ	Not regulated as a dangerous good	
14.3 Transport hazard class(es)		
ADR	Not regulated as a dangerous good	
IMDG	Not regulated as a dangerous good	
ΙΑΤΑ	Not regulated as a dangerous good	
14.4 Packing group		
ADR	Not regulated as a dangerous good	
IMDG	Not regulated as a dangerous good	
IATA (Cargo)	Not regulated as a dangerous good	
IATA (Passenger)	Not regulated as a dangerous good	
14.5 Environmental hazards		
Not regulated as a dangerous g	bod	
14.6 Special precautions for user		
Not applicable		
14.7 Maritime transport in bulk ac	-	
Not applicable for product as su	oplied.	
SECTION 15: Regulatory inform	ation	
•	ntal regulations/legislation specific for the su	bstance or mixture
International Chemical Weapon Schedules of Toxic Chemicals a		
REACH Information:	All substances contained in our Products are	

- registered by our upstream suppliers, and/or
- registered by us, and/or
- excluded from the regulation, and/or
- exempted from the registration.

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)
 Conditions of restriction for the following entries should be considered: Number on list 3
 REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).
 Conditions of restriction for the following entries should be considered: Number on list 75:
 REACH - List of substances subject to authorisation
 Not applicable

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikagard[®]-8500 CI



Revision Date: 10.11.2024 Date of last issue: 18.05.2024	Version 1.2	Print Date 11.11.2024
(Annex XIV)		
Regulation (EC) on substances the layer	at deplete the ozone : Not applicable	Э
Regulation (EU) 2019/1021 on pe tants (recast)	rsistent organic pollu- : Not applicable	9
Regulation (EU) No 649/2012 of t ment and the Council concerning of dangerous chemicals		9
Seveso III: Directive 2012/18/EU jor-accident hazards involving dar	of the European Parliament and of the Con ngerous substances. Not applicable	uncil on the control of ma-
Volatile organic compounds :	Law on the incentive tax for volatile organ (VOCV) Volatile organic compounds (VOC) content no VOC duties	
	Directive 2010/75/EU of 24 November 20 emissions (integrated pollution prevention Volatile organic compounds (VOC) conte	n and control)
Contains a substance which is su carcinogenic substances (Ministry Employment).		
Contains a substance which is su reproductive toxic substances (Mi and Employment).		
15.2 Chemical safety assessment No Chemical Safety Assessment	has been carried out for this mixture by th	e supplier.

SECTION 16: Other information

Full text of H-Statements					
H302	:	Harmful if swallowed.			
H315	:	Causes skin irritation.			
H317	:	May cause an allergic skin reaction.			
Full text of other abbreviations					
Acute Tox.	:	Acute toxicity			

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Sikagard®-8500 CI

Jika®

Revision Date: 10.11.2024 Date of last issue: 18.05.2024		Version 1.2	Print Date 11.11.2024
Skin Irrit.	:	Skin irritation	
Skin Sens.	:	Skin sensitisation	
NL WG	:	Netherlands. Law on Labour conditions - Oc sure Limits	cupational Expo-
NL WG / TLV-8hr	:	Time Weighted Average	
NL WG / TLV-15 min	:	Short Term Exposure Limit	
ADR	:	European Agreement concerning the Interna Dangerous Goods by Road	tional Carriage of
CAS	:	Chemical Abstracts Service	
DNEL	:	Derived no-effect level	
EC50	:	Half maximal effective concentration	
GHS	:	Globally Harmonized System	
ΙΑΤΑ	:	International Air Transport Association	
IMDG	:	International Maritime Code for Dangerous G	Goods
LD50	:	Median lethal dosis (the amount of a materia once, which causes the death of 50% (one h test animals)	I, given all at alf) of a group of
LC50	:	Median lethal concentration (concentrations air that kills 50% of the test animals during th period)	
MARPOL	:	International Convention for the Prevention of Ships, 1973 as modified by the Protocol of 1	
OEL	:	Occupational Exposure Limit	
PBT	:	Persistent, bioaccumulative and toxic	
PNEC	:	Predicted no effect concentration	
REACH	:	Regulation (EC) No 1907/2006 of the Europe and of the Council of 18 December 2006 cor istration, Evaluation, Authorisation and Restr cals (REACH), establishing a European Che	ncerning the Reg- riction of Chemi-
SVHC vPvB	:	Substances of Very High Concern Very persistent and very bioaccumulative	

Further information

Classification of the mixture:		Classification procedure:
Skin Irrit. 2	H315	Calculation method
Skin Sens. 1	H317	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

NL / EN

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878 Sikagard®-8500 CI

Revision Date: 10.11.2024 Date of last issue: 18.05.2024

Version 1.2

Jika®

Print Date 11.11.2024