

Revision Date: 13.12.2024 Date of last issue: -

Version 1.1

Print Date 13.12.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : PC

: PCI FT[®] Rapid

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Tile adhesive

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Nederland B.V. Zonnebaan 56 3542 EG Utrecht Nederland
Tolophone		
Telephone		+31-30-2410120
Telefax	:	+31-30-2414482
E-mail address of person responsible for the SDS	:	EHS@nl.sika.com

1.4 Emergency telephone number

+31-57-0854201

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)				
Skin irritation, Category 2	H315: Causes skin irritation.			
Serious eye damage, Category 1	H318: Causes serious eye damage.			
Specific target organ toxicity - single ex- posure, Category 3, Respiratory system	H335: May cause respiratory irritation.			

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:	L P	
Signal word	:	Danger	
Hazard statements	:	H315 H318	Causes skin irritation. Causes serious eye damage.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

PCI FT[®] Rapid



Revision Date: 13.12.2024 Date of last issue: -	V	ersion 1.1	Print Date 13.12.2024
	Н335 Маз	v cause respiratory irritation.	
Precautionary statements :	P101	If medical advice is needed, hav container or label at hand.	e product
	P102	Keep out of reach of children.	
	Prevention:		
	P271	Use only outdoors or in a well-ve	entilated ar-
	P280	Wear protective gloves/ eye protection.	tection/ face
	Response:		
	P305 + P351 + F	P338 + P310 IF IN EYES: Rinse with water for several minutes. F tact lenses, if present and easy tinue rinsing. Immediately call a CENTER/ doctor.	Remove con- to do. Con-
	Disposal:		
	P501	Dispose of contents/container in with local regulation.	accordance

Hazardous components which must be listed on the label:

Cement (chromium reduced)

2.3 Other hazards

The content of soluble Chromium (VI) is not greater than 0,0002% in accordance with Annex XVII, Paragraph 47 of the EU Regulation 1907/2006. The product reacts highly alkaline with water.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



Revision Date: 13.12.2024 Date of last issue: - Version 1.1

Print Date 13.12.2024

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

oomponents				
Chemical name	CAS-No.	Classification	Concentration	
	EC-No.		(% w/w)	
	Registration number		· · · ·	
Cement (chromium reduced)	65997-15-1	Skin Irrit. 2; H315	>= 25 - < 40	
	266-043-4	Eye Dam. 1; H318		
		STOT SE 3; H335		
		(Respiratory system)		
Substances with a workplace exposure limit :				
Quartz (SiO2)	14808-60-7		>= 40 - < 60	
	238-878-4			

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

	General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
	If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
	In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
	In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
	If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2	Most important symptoms an	d e	ffects, both acute and delayed
	Symptoms	:	Cough Respiratory disorder



PCI FT[®] Rapid

Revision Date: 13.12.2024 Date of last issue: -		Version 1.1	Print Date 13.12.2024
		Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed inform and symptoms.	mation on health effects
Risks	:	Causes skin irritation. Causes serious eye damage. May cause respiratory irritation.	
		irritant effects	
4.3 Indication of any immediate r Treatment	neo :	lical attention and special treatment Treat symptomatically.	needed
SECTION 5: Firefighting meas	ur	es	
5.1 Extinguishing media			
Suitable extinguishing media	:	In case of fire, use water/water spray/vide/sand/foam/alcohol resistant foam/cextinction.	
5.2 Special hazards arising from	the	substance or mixture	
Hazardous combustion prod- ucts	:	No hazardous combustion products ar	e known
5.3 Advice for firefighters			
Special protective equipment for firefighters	:	In the event of fire, wear self-contained	d breathing apparatus.
Further information	:	Standard procedure for chemical fires.	
Further information SECTION 6: Accidental releas	: e r	·	
•	tive	e equipment and emergency procedu	res
Personal precautions	:	Use personal protective equipment. Avoid breathing dust. Deny access to unprotected persons.	
6.2 Environmental precautions			
•		Try to prevent the material from entering	na drains or water

Environmental precautions : Try to prevent the material from entering drains or water courses. No special environmental precautions required.

PCI FT® Rapid



Revision Date: 13.12.2024	Version 1.1	Print Date 13.12.2024
Date of last issue: -		

6.3 Methods and material for containment and cleaning up

Methods for cleaning up

: Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

	Advice on safe handling	:	Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. Follow standard hygiene measures when handling chemical products
	Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
	Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2	Conditions for safe storage, in	ncl	uding any incompatibilities
	Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
	Further information on stor- age stability	:	Keep in a dry place. No decomposition if stored and applied as directed.
7.3	Specific end use(s)		
	Specific use(s)	:	Consult most current local Product Data Sheet prior to any use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *
Quartz (SiO2)	14808-60-7	TLV-8hr (Respira- ble dust)	0,075 mg/m3 (Silica)	NL WG

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

PCI FT[®] Rapid



Revision Date: 13.12.2024 Date of last issue: - Version 1.1

Print Date 13.12.2024

	Further information: Carcinogenic substances, based on the thresholdlimit effect
e above mentioned values are in acc	cordance with the legislation in effect at the date of the re-

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection :	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water			
Hand protection	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications. Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.			
Skin and body protection :	Dust impervious protective suit Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionally recommended for mixing and stirring work.			
Respiratory protection :	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. particulate filter P P1: Inert material; P2, P3: hazardous substances Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficient to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.			
Environmental exposure controls				
General advice	Try to prevent the material from entering drains or water courses. No special environmental precautions required.			

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

PCI FT[®] Rapid



evision Date: 13.12.2024 ate of last issue: -		Version 1.1	Print Date 13.12.20
Physical state Appearance Colour	: solid : powde : grey	r	
Odour	: odourle	ess	
Melting point/ range / Freez- ing point	: No dat	a available	
Boiling point/boiling range	: No dat	a available	
Flammability (solid, gas)	: No dat	a available	
Upper/lower flammability or	explosive l	imits	
Upper explosion limit / Upper flammability limit	: No dat	a available	
Lower explosion limit / Lower flammability limit	: No dat	a available	
Flash point	: Not ap	plicable	
Auto-ignition temperature	: No dat	a available	
Decomposition temperature	: No dat	a available	
рН	: > 11 Conce	ntration: 50 %	
Viscosity			
Viscosity, dynamic	: Not ap	plicable	
Viscosity, kinematic	: Not ap	plicable	
Solubility(ies)			
Water solubility	: No dat	a available	
Partition coefficient: n- octanol/water	: No dat	a available	
Vapour pressure	· No dat	a available	



Print Date 13.12.2024

PCI FT[®] Rapid

Date of last issue: -

Revision Date: 13.12.2024

:	ca. 1,2 g/cm3 (20 °C) No data available
:	No data available
:	No data available
eactiv	ity
n und	er conditions of normal use.
able.	
actio	ns
:	No hazards to be specially mentioned.
:	No data available
:	No data available
produ	ucts
:	No hazardous decomposition products are known.
rr a	n und ble. action : :

Version 1.1

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Skin corrosion/irritation

Causes skin irritation.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

PCI FT[®] Rapid

Jika®

Revision Date: 13.12.2024 Date of last issue: - Version 1.1

Print Date 13.12.2024

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation

Not classified due to lack of data.

Respiratory sensitisation

Not classified due to lack of data.

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Not classified due to lack of data.

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

May cause respiratory irritation.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available Country NL 000000720127



Revision Date: 13.12.2024	Version 1.1	Print Date 13.12.2024
Date of last issue: -		
12.5 Results of PBT and vPvB assess	sment	
Product:		

: This substance/mixture contains no components considered Assessment to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Ρ	r	ο	d	u	С	t	:	

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:		
Additional ecological infor- mation	:	There is no data available for this product.

SECTION 13: Disposal considerations

13.1 Waste treatment methods	
Product	 The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way.
	Way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.
	Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.
	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

14.1 UN number or ID number

ADR	: Not regulated as a dangerous good	
IMDG	: Not regulated as a dangerous good	

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

PCI FT[®] Rapid



Revision Date: 13.12.2024 Date of last issue: -	Version 1.1	Print Date 13.12.2	2024
ΙΑΤΑ	: Not regulated as a dangero	ous good	
14.2 UN proper shipping nam)	-	
ADR	: Not regulated as a dangero	ous good	
IMDG	: Not regulated as a dangero	ous good	
ΙΑΤΑ	: Not regulated as a dangero	ous good	
14.3 Transport hazard class(5)		
ADR	: Not regulated as a dangero	ous good	
IMDG	: Not regulated as a dangero	ous good	
ΙΑΤΑ	: Not regulated as a dangero	ous good	
14.4 Packing group			
ADR	: Not regulated as a dangero	ous good	
IMDG	: Not regulated as a dangero	ous good	
IATA (Cargo)	: Not regulated as a dangero	ous good	
IATA (Passenger)	: Not regulated as a dangero	ous good	
14.5 Environmental hazards			
Not regulated as a dange	us good		

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors

REACH Information:

All substances contained in our Products are

: Not applicable

- registered by our upstream suppliers, and/or
- registered by us, and/or
- excluded from the regulation, and/or
- exempted from the registration.
- REACH Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered: Number on list 75:
- REACH Candidate List of Substances of Very High
- : None of the components are listed

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

PCI FT[®] Rapid



Revision Date: 13.12.2024 Date of last issue: -	Version 1.1		Print Date 13.12.2024
Concern for Authorisation (Article	59).	(=> 0.1 %).	
REACH - List of substances subje (Annex XIV)	ect to authorisation :	Not applicable	
Regulation (EC) on substances th layer	at deplete the ozone :	Not applicable	
Regulation (EU) 2019/1021 on pe tants (recast)	rsistent organic pollu- :	Not applicable	
Regulation (EU) No 649/2012 of the ment and the Council concerning of dangerous chemicals		Not applicable	
Netherlands. Substances of very I	high concern (ZZS-list) :	Quartz (SiO2)	
Seveso III: Directive 2012/18/EU o jor-accident hazards involving dan		t and of the Council on	the control of ma-
Volatile organic compounds :	Law on the incentive tax f (VOCV) no VOC duties	or volatile organic comp	ounds
	Directive 2010/75/EU of 2 emissions (integrated pol		

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

Volatile organic compounds (VOC) content: < 0,01% w/w

SECTION 16: Other information

Full text of H-Statements		
H315	:	Causes skin irritation.
H318	:	Causes serious eye damage.
H335	:	May cause respiratory irritation.
Full text of other abbreviation	ons	
Eye Dam.	:	Serious eye damage
Skin Irrit.	:	Skin irritation

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

PCI FT® Rapid



Revision Date: 13.12.2024 Date of last issue: -	Version 1.1	Print Date 13.12.2024
	Specific torget orgen tovicity _ cingle evpequite	
STOT SE : NL WG :	Specific target organ toxicity - single exposure Netherlands. Law on Labour conditions - Occupa sure Limits	ational Expo-
NL WG / TLV-8hr :	Time Weighted Average	
ADR :	European Agreement concerning the Internation Dangerous Goods by Road	al Carriage of
CAS :	Chemical Abstracts Service	
DNEL :	Derived no-effect level	
EC50 :	Half maximal effective concentration	
GHS :	Globally Harmonized System	
IATA :	International Air Transport Association	
IMDG :	International Maritime Code for Dangerous Good	st
LD50 :	Median lethal dosis (the amount of a material, gi once, which causes the death of 50% (one half) test animals)	
LC50 :	Median lethal concentration (concentrations of the air that kills 50% of the test animals during the operiod)	
MARPOL :	International Convention for the Prevention of Po Ships, 1973 as modified by the Protocol of 1978	
OEL :	Occupational Exposure Limit	
PBT :	Persistent, bioaccumulative and toxic	
PNEC :	Predicted no effect concentration	
REACH :	Regulation (EC) No 1907/2006 of the European and of the Council of 18 December 2006 concer- istration, Evaluation, Authorisation and Restriction cals (REACH), establishing a European Chemica	ning the Reg- on of Chemi-
SVHC :	Substances of Very High Concern	- /
vPvB :	Very persistent and very bioaccumulative	

Further information

Classification of the mixture:		Classification procedure:
Skin Irrit. 2	H315	Calculation method
Eye Dam. 1	H318	Calculation method
STOT SE 3	H335	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

NL / EN