

Version 1.1

Print Date 23.01.2025

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### **1.1 Product identifier**

Trade name

: Sika<sup>®</sup> Ucrete<sup>®</sup> BC 9 Part C

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Flooring system

## 1.3 Details of the supplier of the safety data sheet

:	Sika Nederland B.V.
	Zonnebaan 56
	3542 EG Utrecht
	Nederland
:	+31-30-2410120
:	+31-30-2414482
:	EHS@nl.sika.com
	:

### **1.4 Emergency telephone number**

+31-57-0854201

# **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

# Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2	H315: Causes skin irritation.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Specific target organ toxicity - single ex- posure, Category 3, Respiratory system	H335: May cause respiratory irritation.

#### 2.2 Label elements

## Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word

: Danger

# SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# Sika<sup>®</sup> Ucrete<sup>®</sup> BC 9 Part C



		Version 1.1	Print Date 23.01.2025
:	H317 M H318 C	lay cause an allergic skin reaction. causes serious eye damage.	
:	<b>Prevention:</b> P261 P264 P280	Avoid breathing dust. Wash skin thoroughly after han Wear protective gloves/ eye pro protection.	
	P305 + P351 ·	air and keep comfortable for bre POISON CENTER/ doctor if you + P338 + P310 IF IN EYES: Rins with water for several minutes. tact lenses, if present and easy tinue rinsing. Immediately call a CENTER/ doctor.	eathing. Call a u feel unwell. se cautiously Remove con- to do. Con- a POISON
	:	H317 N H318 C H335 M : <b>Prevention:</b> P261 P264 P280 <b>Response:</b> P304 + P340 ·	<ul> <li>H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H335 May cause respiratory irritation.</li> <li>Prevention: P261 Avoid breathing dust. P264 Wash skin thoroughly after han P280 Wear protective gloves/ eye proprotection.</li> <li>Response: P304 + P340 + P312 IF INHALED: Remove per air and keep comfortable for bre POISON CENTER/ doctor if yo P305 + P351 + P338 + P310 IF IN EYES: Rins with water for several minutes. tact lenses, if present and easy tinue rinsing. Immediately call a CENTER/ doctor.</li> </ul>

# Hazardous components which must be listed on the label:

Cement, portland, chemicals

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006, as amended by Commission Regula-
tion (EU) 2020/878
Sika <sup>®</sup> Ucrete <sup>®</sup> BC 9 Part C



Version 1.1

Print Date 23.01.2025

# **SECTION 3: Composition/information on ingredients**

## 3.2 Mixtures

# Components

oomponents					
Chemical name	CAS-No.	Classification	Concentration		
	EC-No.		(% w/w)		
	Registration number		. ,		
Cement, portland, chemicals	65997-15-1	Skin Irrit. 2; H315	>= 20 - < 25		
	266-043-4	Eye Dam. 1; H318			
		Skin Sens. 1; H317			
		STOT SE 3; H335			
calcium dihydroxide	1305-62-0	Skin Irrit. 2; H315	>= 5 - < 10		
	215-137-3	Eye Dam. 1; H318			
	01-2119475151-45-	STOT SE 3; H335			
	XXXX	(Respiratory system)			
Substances with a workplace exposure limit :					
Quartz (SiO2)	14808-60-7		>= 60 - < 80		
	238-878-4				

For explanation of abbreviations see section 16.

# **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# Sika<sup>®</sup> Ucrete<sup>®</sup> BC 9 Part C



Revision Date: 20.01.2025 Date of last issue: 07.01.2025 Version 1.1

Print Date 23.01.2025

## 4.2 Most important symptoms and effects, both acute and delayed Symptoms : Cough Respiratory disorder Allergic reactions Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information on health effects and symptoms. Risks : Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. May cause respiratory irritation. irritant effects sensitising effects 4.3 Indication of any immediate medical attention and special treatment needed Treatment : Treat symptomatically.

# **SECTION 5: Firefighting measures**

5.1	Extinguishing media Suitable extinguishing media :		In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.
5.2	Special hazards arising from the	he	substance or mixture
	Hazardous combustion prod- : ucts	:	No hazardous combustion products are known
5.3	Advice for firefighters		
	Special protective equipment : for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
	Further information :	:	Standard procedure for chemical fires.

# **SECTION 6: Accidental release measures**

6.1 Personal precautions,	protective	equipment and emergency procedures
Personal precautions	:	Use personal protective equipment.

Personal precautions	:	Use personal protective equipment. Avoid breathing dust.
		Deny access to unprotected persons.

# SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# Sika<sup>®</sup> Ucrete<sup>®</sup> BC 9 Part C



Revision Date: 20.01.2025	Version 1.1	Print Date 23.01.2025				
Date of last issue: 07.01.2025						
<b>6.2 Environmental precautions</b> Environmental precautions	Do not flush into surface water or sanitary	sewer system.				
6.3 Methods and material for containment and cleaning up						
Methods for cleaning up	<ul> <li>Pick up and arrange disposal without creat Keep in suitable, closed containers for disp</li> </ul>					

## 6.4 Reference to other sections

For personal protection see section 8.

# **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

Advice on safe han	dling :	Do not breathe vapours/dust. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asth- ma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the ap- plication area. Follow standard hygiene measures when handling chemical products
Advice on protection fire and explosion	n against :	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2 Conditions for safe	storage, incl	luding any incompatibilities
Requirements for start areas and contained	torage :	Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
Further information age stability	on stor- :	Keep in a dry place. No decomposition if stored and applied as directed.
7.3 Specific end use(s)	1	
Specific use(s)	:	Consult most current local Product Data Sheet prior to any use.



Version 1.1

Print Date 23.01.2025

# **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

## **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *	
Quartz (SiO2)	14808-60-7	TLV-8hr (Respira- ble dust)	0,075 mg/m3 (Silica)	NL WG	
		Further information: Carcinogenic substances, based on the thresholdlimit effect			
calcium dihydroxide	1305-62-0	TWA (Respirable fraction)	1 mg/m3	2017/164/EU	
	Further inform	Further information: Indicative			
		STEL (Respirable fraction)	4 mg/m3	2017/164/EU	
		TLV-8hr (Respira- ble)	1 mg/m3	NL WG	
		TLV-15 min (Res- pirable)	4 mg/m3	NL WG	

\*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

## 8.2 Exposure controls

#### **Engineering measures**

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

#### Personal protective equipment

Eye/face protection	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	<ul> <li>Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications.</li> <li>Recommended: Butyl rubber/nitrile rubber gloves.</li> <li>Contaminated gloves should be removed.</li> </ul>
Skin and body protection	Dust impervious protective suit Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. particulate filter P P1: Inert material; P2, P3: hazardous substances
unter / NIL 00000704040	



Version 1.1

Print Date 23.01.2025

Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Methods for determining inhalation exposure). This applies in particular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.

# **Environmental exposure controls**

General advice

: Do not flush into surface water or sanitary sewer system.

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

Physical state Appearance Colour	:	solid powder grey
Odour	:	characteristic
Melting point/ range / Freez- ing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or o	exp	losive limits
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	> 11 Concentration: 50 %

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

# Sika<sup>®</sup> Ucrete<sup>®</sup> BC 9 Part C



Revision Date: 20.01.2025 Date of last issue: 07.01.2025	Version 1.1		Print Date 23.01.2025
<b>Viscosity</b> Viscosity, kinematic	:	Not applicable	
<b>Solubility(ies)</b> Water solubility	:	dispersible	
Partition coefficient: n- octanol/water	:	No data available	
Vapour pressure	:	No data available	
Density	:	No data available	
Bulk density	:	1.800 - 2.400 kg/m3 (20 °C)	
Relative vapour density	:	No data available	
Particle characteristics	:	No data available	

# 9.2 Other information

No data available

# **SECTION 10: Stability and reactivity**

## **10.1 Reactivity**

No dangerous reaction known under conditions of normal use.

#### 10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions					
Hazardous reactions	:	No hazards to be specially mentioned.			
10.4 Conditions to avoid					
Conditions to avoid	:	No data available			
10.5 Incompatible materials					

Materials to avoid : No data available

## **10.6 Hazardous decomposition products**



Version 1.1

Print Date 23.01.2025

No hazardous decomposition products are known.

# **SECTION 11: Toxicological information**

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Not classified due to lack of data.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

# **Respiratory sensitisation**

Not classified due to lack of data.

# Germ cell mutagenicity

Not classified due to lack of data.

#### Carcinogenicity

Not classified due to lack of data.

# **Reproductive toxicity**

Not classified due to lack of data.

# STOT - single exposure

May cause respiratory irritation.

# STOT - repeated exposure

Not classified due to lack of data.

# Aspiration toxicity

Not classified due to lack of data.

# 11.2 Information on other hazards

# Endocrine disrupting properties

5

# Product:

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



Version 1.1

Print Date 23.01.2025

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

No data available

#### 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

# 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

#### 12.6 Endocrine disrupting properties

#### Product:

Assessment	: The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
------------	---

#### 12.7 Other adverse effects

#### Product:

Additional ecological infor-	:	There is no data available for this product.
mation		

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product	<ul> <li>The generation of waste should be avoided or minimized wherever possible.</li> <li>Empty containers or liners may retain some product residues.</li> <li>This material and its container must be disposed of in a safe</li> </ul>
	way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should

Revision Date: 20.01.2025

Date of last issue: 07.01.2025

Version 1.1

Print Date 23.01.2025

at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

# **SECTION 14: Transport information**

14.1 UN	number	or ID	number
---------	--------	-------	--------

ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.2 UN proper shipping name			
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.3 Transport hazard class(es)			
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.4 Packing group			
ADR	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
IATA (Cargo)	:	Not regulated as a dangerous good	
IATA (Passenger)	:	Not regulated as a dangerous good	
14.5 Environmental hazards			
Not regulated as a dangerous	goo	bd	
14.6 Special precautions for user			

Not applicable

# 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

# **SECTION 15: Regulatory information**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture** International Chemical Weapons Convention (CWC) : Not applicable Sika<sup>®</sup> Ucrete<sup>®</sup> BC 9 Part C



Revision Date: 20.01.2025 Date of last issue: 07.01.2025 Version 1.1

Print Date 23.01.2025

Schedules of Toxic Chemicals and Precursors

Schedules of Toxic Chemicals and Frecusors					
REACH Information:	All substances contained - registered by our upstrea - registered by us, and/or - excluded from the regula - exempted from the regis	aı lat	m suppliers, and/or ion, and/or		
REACH - Restrictions on the mar the market and use of certain dar mixtures and articles (Annex XVII	ngerous substances,		Conditions of restriction for the fol- lowing entries should be considered: Number on list 47: Cement, port- land, chemicals		
REACH - Candidate List of Subst Concern for Authorisation (Article			None of the components are listed (=> 0.1 %).		
REACH - List of substances subje (Annex XIV)	ect to authorisation :		Not applicable		
Regulation (EC) on substances th layer	nat deplete the ozone :		Not applicable		
Regulation (EU) 2019/1021 on pe tants (recast)	ersistent organic pollu- :		Not applicable		
Regulation (EU) No 649/2012 of t ment and the Council concerning of dangerous chemicals			Not applicable		
Netherlands. Substances of very	high concern (ZZS-list) :		Quartz (SiO2)		
Seveso III: Directive 2012/18/EU jor-accident hazards involving dar		nt	and of the Council on the control of ma-		
Volatile organic compounds :	Law on the incentive tax f	fo	r volatile organic compounds		

Volatile organic compounds	:	Law on the incentive tax for volatile organic compounds (VOCV) no VOC duties
		Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Not applicable

# Sika<sup>®</sup> Ucrete<sup>®</sup> BC 9 Part C



Revision Date: 20.01.2025 Date of last issue: 07.01.2025 Version 1.1

Print Date 23.01.2025

## 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

## **SECTION 16: Other information**

- 10076896)Full text of H-Statements				
H315	•	Causes skin irritation.		
H317	÷	May cause an allergic skin reaction.		
H318	÷	Causes serious eye damage.		
H335	÷	May cause respiratory irritation.		
Full text of other abbreviation	ons			
Eye Dam.	:	Serious eye damage		
Skin Irrit.	:	Skin irritation		
Skin Sens.	:	Skin sensitisation		
STOT SE	:	Specific target organ toxicity - single exposure		
2017/164/EU	:	Europe. Commission Directive 2017/164/EU establishing a		
		fourth list of indicative occupational exposure limit values		
NL WG	:	Netherlands. Law on Labour conditions - Occupational Expo-		
-		sure Limits		
2017/164/EU / STEL	÷	Short term exposure limit		
2017/164/EU / TWA	÷	Limit Value - eight hours		
NL WG / TLV-8hr	÷	Time Weighted Average		
NL WG / TLV-15 min	÷	Short Term Exposure Limit		
ADR	÷	European Agreement concerning the International Carriage of		
	-	Dangerous Goods by Road		
CAS	:	Chemical Abstracts Service		
DNEL	÷	Derived no-effect level		
EC50	÷	Half maximal effective concentration		
GHS	:	Globally Harmonized System		
IATA	÷	International Air Transport Association		
IMDG	÷	International Maritime Code for Dangerous Goods		
LD50	:	Median lethal dosis (the amount of a material, given all at		
		once, which causes the death of 50% (one half) of a group of		
		test animals)		
LC50	•	Median lethal concentration (concentrations of the chemical in		
	•	air that kills 50% of the test animals during the observation		
		period)		
MARPOL		International Convention for the Prevention of Pollution from		
	•	Ships, 1973 as modified by the Protocol of 1978		
OEL		Occupational Exposure Limit		
PBT	:	Persistent, bioaccumulative and toxic		
PNEC	:	Predicted no effect concentration		
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament		
REAGIN	•	and of the Council of 18 December 2006 concerning the Reg-		
		istration, Evaluation, Authorisation and Restriction of Chemi-		
		cals (REACH), establishing a European Chemicals Agency		
SVHC		Substances of Very High Concern		
vPvB	:	Very persistent and very bioaccumulative		
	•	vory persistent and very bloaccumulative		



Print Date 23.01.2025

## Revision Date: 20.01.2025 Date of last issue: 07.01.2025

Version 1.1

# **Further information**

Classification of the mixture:		Classification procedure:
Skin Irrit. 2	H315	Calculation method
Eye Dam. 1	H318	Calculation method
Skin Sens. 1	H317	Calculation method
STOT SE 3	H335	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

NL / EN