

Revision Date: 17.05.2024 Date of last issue: 10.05.2023 Version 2.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

SCHÖNOX[®] FPL PLUS

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use

: Cement / Mortar, Floor levelling compound

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Nederland B.V.
		Zonnebaan 56
		3542 EG Utrecht
		Nederland
Telephone	:	+31-30-2410120
Telefax	:	+31-30-2414482
E-mail address of person	:	EHS@nl.sika.com
responsible for the SDS		

1.4 Emergency telephone number

+31-57-0854201

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Serious eye damage, Category 1

H318: Causes serious eye damage.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	:		
Signal word	:	Danger	
Hazard statements	:	H318	Causes serious eye damage.
Precautionary statements	:	P101 P102 P103	If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use.
		Prevention	:

Revision Date: 17.05.2024 Date of last issue: 10.05.2023



Version 2.1

Wear eye protection/ face protection.

Response:

P280

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

Hazardous components which must be listed on the label:

Cement (chromium reduced)

2.3 Other hazards

The content of soluble Chromium (VI) is not greater than 0,0002% in accordance with Annex XVII, Paragraph 47 of the EU Regulation 1907/2006. The product reacts highly alkaline with water.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No.	Classification	Concentration (% w/w)
	Registration number		
Cement (chromium reduced)	65997-15-1 266-043-4	Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT SE 3; H335 (Respiratory system)	>= 5 - < 10
Substances with a workplace exposure limit :			
Quartz (SiO2)	14808-60-7 238-878-4		>= 40 - < 60

For explanation of abbreviations see section 16.

Revision Date: 17.05.2024 Date of last issue: 10.05.2023

Version 2.1



SECTION 4: First aid measures

4.1 Description of first aid measure	25
General advice :	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled :	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact :	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact :	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed :	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2 Most important symptoms and	effects, both acute and delayed
Symptoms :	Excessive lachrymation See Section 11 for more detailed information on health effects and symptoms.
Risks :	irritant effects
	Causes serious eye damage.
4.3 Indication of any immediate me	dical attention and special treatment needed
Treatment :	Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : In case of fire, use water/water spray/water jet/carbon dioxide/sand/foam/alcohol resistant foam/chemical powder for extinction.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion prod- : No hazardous combustion products are known

Revision Date: 17.05.2024

Print Date 17.05.2024

Revision Date: 17.05.2024 Date of last issue: 10.05.2023

ucts

5.3 Advice for firefighters

Further information

Special protective equipment	:	In the event of fire, wear self-contained breathing apparatus.
for firefighters		

: Standard procedure for chemical fires.

Version 2.1

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

• •	
Personal precautions	: Use personal protective equipment.
	Avoid breathing dust.
	Deny access to unprotected persons.

6.2 Environmental precautions

:	Try to prevent the material from entering drains or water
	courses.
	No special environmental precautions required.
	:

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	 Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products
Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

SCHÖNOX[®] FPL PLUS



Revision Date: 17.05.2024	Version 2.1	Print Date 17
Date of last issue: 10.05.2023		

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
Further information on stor- age stability	:	Keep in a dry place. No decomposition if stored and applied as directed.
7.3 Specific end use(s) Specific use(s)	:	Consult most current local Product Data Sheet prior to any use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parame-	Basis *
		of exposure)	ters *	
Quartz (SiO2)	14808-60-7	TLV-8hr (Respira-	0,075 mg/m3	NL WG
		ble dust)	(Silica)	
	Further informa	ation: Carcinogenic	substances, base	d on the
	thresholdlimit e	effect		

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water
Hand protection	:	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.
		Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.
Skin and body protection	:	Dust impervious protective suit Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection	:	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated

Revision Date: 17.05.2024 Date of last issue: 10.05.2023



Version 2.1

exposure levels, the hazards of the product and the safe working limits of the selected respirator. particulate filter P P1: Inert material; P2, P3: hazardous substances Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Methods for determining inhalation exposure). This applies in particular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.

Environmental exposure controls

General advice	: Try to prevent the material from entering drains or water
	COURSES.
	No special environmental precautions required.

SECTION 9: Physical and chemical properties

i information on basic physica	an	d chemical properties
Physical state Appearance Colour	:	solid powder grey
Odour	:	characteristic
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or	exp	losive limits
Upper explosion limit / Up- per flammability limit	•	
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Auto-ignition temperature	:	Not applicable
		No data available

9.1 Information on basic physical and chemical properties

Revision Date: 17.05.2024



Date of last issue: 10.05.2023

Version 2.1

Decomposition temperature	:	No data available
рН	:	ca. 11 Concentration: 50 %
Viscosity Viscosity, kinematic	:	Not applicable
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n- octanol/water	:	No data available
Vapour pressure	:	No data available
Density	:	ca. 1,35 g/cm3 (20 °C)
Relative vapour density	:	No data available
Particle characteristics	:	No data available

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	No hazards to be specially mentioned.
---------------------	---	---------------------------------------

10.4 Conditions to avoid

Conditions to avoid : No data available

Revision Date: 17.05.2024

Print Date 17.05.2024

Revision Date: 17.05.2024 Date of last issue: 10.05.2023 Version 2.1

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

1

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

Version 2.1



Revision Date: 17.05.2024 Date of last issue: 10.05.2023

- - -

levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment	:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
		levels of 0.1% of higher.

12.7 Other adverse effects

Product:

Additional ecological infor- : There is no data available for this product. mation

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	: The generation of waste should be avoided or minimized wherever possible.
	Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe
	way.
	Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.



Revision Date: 17.05.2024
Date of last issue: 10.05.2023

		Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
European Waste Catalogue	:	17 01 06* mixtures of, or separate fractions of concrete, bricks, tiles and ceramics containing dangerous substances
Contaminated packaging	:	15 01 10* packaging containing residues of or contaminated by dangerous substances

SECTION 14: Transport information

14.1 UN number or ID number

ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.2 UN proper shipping name				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.3 Transport hazard class(es)				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.4 Packing group				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
IATA (Cargo)	:	Not regulated as a dangerous good		
IATA (Passenger)	:	Not regulated as a dangerous good		
14.5 Environmental hazards Not regulated as a dangerous good				

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.



Revision Date: 17.05.2024 Date of last issue: 10.05.2023

Version 2.1

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Not applicable International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors **REACH Information:** All substances contained in our Products are - registered by our upstream suppliers, and/or - registered by us, and/or - excluded from the regulation, and/or - exempted from the registration. REACH - Restrictions on the manufacture, placing on Conditions of restriction for the fol-: the market and use of certain dangerous substances, lowing entries should be considered: mixtures and articles (Annex XVII) Number on list 75 REACH - Candidate List of Substances of Very High None of the components are listed 1 Concern for Authorisation (Article 59). (=> 0.1 %). REACH - List of substances subject to authorisation Not applicable (Annex XIV) Regulation (EC) No 1005/2009 on substances that de-Not applicable plete the ozone layer Regulation (EU) 2019/1021 on persistent organic pollu-Not applicable tants (recast) Netherlands. Substances of very high concern (ZZS-list) : Quartz (SiO2) Regulation (EU) No 649/2012 of the European Parlia-Not applicable 2 ment and the Council concerning the export and import of dangerous chemicals Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable Volatile organic compounds Law on the incentive tax for volatile organic compounds (VOCV) Volatile organic compounds (VOC) content: < 0,01% w/w

no VOC duties

Print Date 17.05.2024

Revision Date: 17.05.2024 Date of last issue: 10.05.2023 Version 2.1

Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: < 0,01% w/w

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

H315:Causes skin irritation.H318:Causes serious eye damage.H335:May cause respiratory irritation.Full text of other abbreviationsEye Dam.:Serious eye damageSkin Irrit.:Skin irritationSTOT SE:Specific target organ toxicity - single exposureNL WG:Netherlands. Law on Labour conditions - Occupational Exposure LimitsNL WG / TLV-8hr:Time Weighted AverageADR:European Agreement concerning the International Carriage of Dangerous Goods by RoadCAS:Chemical Abstracts ServiceDNEL:Derived no-effect levelEC50:Half maximal effective concentrationGHS:Globally Harmonized SystemIATA:International Air Transport AssociationIMDG:International Maritime Code for Dangerous GoodsLD50:Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)LC50:Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)MARPOL:International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978OEL:Occupational Exposure LimitPBT:Persistent, bioaccumulative and toxicPNEC:Predicted no effect concentration	Full text of H-Statements		
H335:May cause respiratory irritation.Full text of other abbreviationsEye Dam.:Serious eye damageSkin Irrit.:Skin irritationSTOT SE:Specific target organ toxicity - single exposureNL WG:Netherlands. Law on Labour conditions - Occupational Exposure LimitsNL WG / TLV-8hr:Time Weighted AverageADR:European Agreement concerning the International Carriage of Dangerous Goods by RoadCAS:Chemical Abstracts ServiceDNEL:Derived no-effect levelEC50:Half maximal effective concentrationGHS:Globally Harmonized SystemIATA:International Air Transport AssociationIMDG:International Air IsosociationLD50:Median lethal cosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)LC50:International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978OEL:Occupational Exposure LimitPBT:Persistent, bioaccumulative and toxicPNEC:Predicted no effect concentration	H315	:	Causes skin irritation.
Full text of other abbreviationsEye Dam.:Serious eye damageSkin Irrit.:Skin irritationSTOT SE:Specific target organ toxicity - single exposureNL WG:Netherlands. Law on Labour conditions - Occupational Exposure LimitsNL WG / TLV-8hr:Time Weighted AverageADR:European Agreement concerning the International Carriage of Dangerous Goods by RoadCAS:Chemical Abstracts ServiceDNEL:Derived no-effect levelEC50:Half maximal effective concentrationGHS:Globally Harmonized SystemIATA:International Air Transport AssociationIMDG:International Maritime Code for Dangerous GoodsLD50:Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)LC50:Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)MARPOL:International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978OEL:Occupational Exposure LimitPBT:Persistent, bioaccumulative and toxicPNEC:Predicted no effect concentration	H318	:	Causes serious eye damage.
Eye Dam.:Serious eye damageSkin Irrit.:Skin irritationSTOT SE:Specific target organ toxicity - single exposureNL WG:Netherlands. Law on Labour conditions - Occupational Expo- sure LimitsNL WG / TLV-8hr:Time Weighted AverageADR:European Agreement concerning the International Carriage of Dangerous Goods by RoadCAS:Chemical Abstracts ServiceDNEL:Derived no-effect levelEC50:Half maximal effective concentrationGHS:Globally Harmonized SystemIATA:International Air Transport AssociationIMDG:International Maritime Code for Dangerous GoodsLD50:Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)LC50:International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978OEL:Occupational Exposure LimitPBT:Predicted no effect concentrationPNEC:Predicted no effect concentration	H335	:	May cause respiratory irritation.
Skin Irrit.:Skin irritationSTOT SE:Specific target organ toxicity - single exposureNL WG:Netherlands. Law on Labour conditions - Occupational Expo- sure LimitsNL WG / TLV-8hr:Time Weighted AverageADR:European Agreement concerning the International Carriage of Dangerous Goods by RoadCAS:Chemical Abstracts ServiceDNEL:Derived no-effect levelEC50:Half maximal effective concentrationGHS:Globally Harmonized SystemIATA:International Ari Transport AssociationIMDG:International Maritime Code for Dangerous GoodsLD50:Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)LC50:Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)MARPOL:International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978OEL:Persistent, bioaccumulative and toxicPNEC:Predicted no effect concentration	Full text of other abbreviation	ons	
STOT SE:Specific target organ toxicity - single exposureNL WG:Netherlands. Law on Labour conditions - Occupational Expo- sure LimitsNL WG / TLV-8hr:Time Weighted AverageADR:European Agreement concerning the International Carriage of Dangerous Goods by RoadCAS:Chemical Abstracts ServiceDNEL:Derived no-effect levelEC50:Half maximal effective concentrationGHS:Globally Harmonized SystemIATA:International Air Transport AssociationIMDG:International Maritime Code for Dangerous GoodsLD50:Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)LC50:International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978OEL:Occupational Exposure LimitPBT:Predicted no effect concentrationPNEC:Predicted no effect concentration		:	Serious eye damage
NL WG:Netherlands. Law on Labour conditions - Occupational Expo- sure LimitsNL WG / TLV-8hr:Time Weighted AverageADR:European Agreement concerning the International Carriage of Dangerous Goods by RoadCAS:Chemical Abstracts ServiceDNEL:Derived no-effect levelEC50:Half maximal effective concentrationGHS:Globally Harmonized SystemIATA:International Air Transport AssociationIMDG:International Maritime Code for Dangerous GoodsLD50:Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)LC50:Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)MARPOL:International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978OEL:Occupational Exposure LimitPBT:Persistent, bioaccumulative and toxicPNEC:Predicted no effect concentration		:	
NL WG / TLV-8hr:Time Weighted AverageADR:European Agreement concerning the International Carriage of Dangerous Goods by RoadCAS:Chemical Abstracts ServiceDNEL:Derived no-effect levelEC50:Half maximal effective concentrationGHS:Globally Harmonized SystemIATA:International Air Transport AssociationIMDG:International Maritime Code for Dangerous GoodsLD50:Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)LC50:International Convention for the Prevention of Pollution from ships, 1973 as modified by the Protocol of 1978OEL:Occupational Exposure LimitPBT:Persistent, bioaccumulative and toxicPNEC:Predicted no effect concentration		:	
ADR: European Agreement concerning the International Carriage of Dangerous Goods by RoadCAS: Chemical Abstracts ServiceDNEL: Derived no-effect levelEC50: Half maximal effective concentrationGHS: Globally Harmonized SystemIATA: International Air Transport AssociationIMDG: International Maritime Code for Dangerous GoodsLD50: Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)LC50: Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)MARPOL: International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978OEL: Occupational Exposure Limit PBTPNEC: Predicted no effect concentration	NL WG	:	
Dangerous Goods by RoadCAS:Chemical Abstracts ServiceDNEL:EC50:Half maximal effective concentrationGHS:IATA:INDG:INDG:International Air Transport AssociationIMDG:International Maritime Code for Dangerous GoodsLD50:Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)LC50:MARPOL:International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978OEL:PBT:PNEC:PNEC:	NL WG / TLV-8hr	:	Time Weighted Average
DNEL:Derived no-effect levelEC50:Half maximal effective concentrationGHS:Globally Harmonized SystemIATA:International Air Transport AssociationIMDG:International Maritime Code for Dangerous GoodsLD50:Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)LC50:Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)MARPOL:International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978OEL:Occupational Exposure LimitPBT:Persistent, bioaccumulative and toxicPNEC:Predicted no effect concentration	ADR	:	
EC50: Half maximal effective concentrationGHS: Globally Harmonized SystemIATA: International Air Transport AssociationIMDG: International Maritime Code for Dangerous GoodsLD50: Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)LC50: Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)MARPOL: International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978OEL: Occupational Exposure Limit PBTPNEC: Predicted no effect concentration	CAS	:	Chemical Abstracts Service
GHS:Globally Harmonized SystemIATA:International Air Transport AssociationIMDG:International Maritime Code for Dangerous GoodsLD50:Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)LC50:Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)MARPOL:International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978OEL:Occupational Exposure Limit PBTPNEC:Predicted no effect concentration		:	
 IATA : International Air Transport Association IMDG : International Maritime Code for Dangerous Goods LD50 : Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals) LC50 : Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period) MARPOL : International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978 OEL : Occupational Exposure Limit PBT : Persistent, bioaccumulative and toxic PNEC : Predicted no effect concentration 		:	
 IMDG : International Maritime Code for Dangerous Goods LD50 : Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals) LC50 : Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period) MARPOL : International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978 OEL : Occupational Exposure Limit PBT : Persistent, bioaccumulative and toxic PNEC : Predicted no effect concentration 		:	
LD50: Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)LC50: Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)MARPOL: International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978OEL: Occupational Exposure Limit PBTPNEC: Predicted no effect concentration		:	
LC50: Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)MARPOL: International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978OEL: Occupational Exposure Limit PBTPNEC: Predicted no effect concentration		:	
air that kills 50% of the test animals during the observation period)MARPOL: International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978OEL: Occupational Exposure LimitPBT: Persistent, bioaccumulative and toxicPNEC: Predicted no effect concentration	LD50	:	once, which causes the death of 50% (one half) of a group of
MARPOL: International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978OEL: Occupational Exposure LimitPBT: Persistent, bioaccumulative and toxicPNEC: Predicted no effect concentration	LC50	:	air that kills 50% of the test animals during the observation
OEL:Occupational Exposure LimitPBT:Persistent, bioaccumulative and toxicPNEC:Predicted no effect concentration	MARPOL	:	International Convention for the Prevention of Pollution from
PBT:Persistent, bioaccumulative and toxicPNEC:Predicted no effect concentration			
PNEC : Predicted no effect concentration		÷	
		:	
	REACH	:	Regulation (EC) No 1907/2006 of the European Parliament
and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency	REACH	•	and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency
SVHC : Substances of Very High Concern	SVHC	:	
vPvB : Very persistent and very bioaccumulative	vPvB	:	Very persistent and very bioaccumulative

Further information

Revision Date: 17.05.2024 Date of last issue: 10.05.2023

Version 2.1



Classification of the mixture:

Eye Dam. 1

Classification procedure:

Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

H318

NL / EN